

# Extract By Encounter Type

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Admission Head Circumference (NICU)	N0210	Head circumference in cm of newborn upon admission to NICU		
Admission Temperature	N0232	Temperature of newborn upon admission to NICU		
Admission Weight (NICU)	N0211	Weight of newborn in grams upon admission to NICU.		
Age at Neonatal Death	N0141	Calculated Age at Neonatal Death		
APGAR1	N0008	APGAR Score at 1 minute	10	
			9	
			8	
			7	
			6	
			5	
			4	
			3	
			2	
			1	
			0	
		Unknown		
APGAR10	N0010	APGAR Score at 10 minutes	10	
			9	
			8	

**Encounter: NICU/SCN**

<b>Data Element Name</b>	<b>BORN ID</b>	<b>Data Element Definition</b>	<b>Pick List Value</b>	<b>Pick List Definition</b>
APGAR10	N0010	APGAR Score at 10 minutes	7	
			6	
			5	
			4	
			3	
			2	
			1	
			0	
			Unknown	
APGAR5	N0009	Indicate APGAR score at 5 minutes of age	10	
			9	
			8	
			7	
			6	
			5	
			4	
			3	
			2	
			1	
			0	
			Unknown	
Arterial cord blood base excess / deficit	FAN0102	Indicate results of venous umbilical cord blood sampling indicating base excess or deficit as reported by birth hospital		

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Arterial Cord Blood pH	FAN0103	Indicate results of arterial umbilical cord blood pH as reported by birth hospital		
Arterial cord blood test status	Y0020	Indicate status of arterial cord blood test	Not Done	
			Done	
			Unsatisfactory Specimen	
Autopsy Consent	N0059	Indicate whether parent/guardian consent was obtained for autopsy		
Bilirubin Measured within 72 hours of Birth	N0204	Indicate if Bilirubin was measured within 72 hours of birth while in your unit during this encounter. If TCB and TSB were used, select both. If baby is discharged and returns for testing within 72 hours, select Not Done.	Yes - Transcutaneous bilirubin (TCB)	
			Yes - Total Serum Bilirubin (TSB)	
			No - Newborn Transferred Out/Discharged	
			No - Declined	
			No - Reason Unknown	
			No - Reason other	
			Unknown	
Birth Hospital	Y02091	The name of the hospital where the birth occurred if Birth Location =hospital. Includes all Ontario hospitals with and without birthing units and some out of province and out of country hospitals.		
Birth Location	N0005	The location where the birth occurred (hospital, home, other)	Hospital	
			Home	
			Nursing Station	Primary health care facilities on First Nation reserves.
			Other Ontario location	
			Outside of Ontario	
Birth Weight	N0012	Indicate newborn birth weight (grams)		

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Birth Weight Is Unknown	N0012NO			
Consent for Use of Breast Milk Substitute	N4354	Consent for Use of Breast Milk Substitute	Evidence that consent was obtained	
			No evidence of consent	
			Unknown	
Days of Age at Discharge	N0050-1	Age of newborn in days upon discharge from NICU		
Days of Age on Admission (NICU)	N0211-1	Age of the newborn in days upon admission to NICU		
Discharge Interventions in Place (on day of discharge)	N0231	Discharge Interventions in Place (on day of discharge)	None	
			Oxygen	
			Ostomy	
			Tracheostomy	
			Gastrostomy	
			Ventilation	
			CPAP	
			Phototherapy	
Unknown				
Discharge Weight	N0052	Indicate newborn weight at discharge from hospital (grams). Enter 0 if weight is unknown. This field is mandatory on the Postpartum Child encounter if baby is discharged Home or to CAS (Apprehension).		
Discharged to Health Care Provider	N0133	Indicate type of long term primary Health Care Provider neonate discharged to. Does not include Midwife as midwife is short term care provider (up to six weeks postpartum)	Family Physician	
			Paediatrician	
			Paediatric Specialty	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Discharged to Health Care Provider	N0133	Indicate type of long term primary Health Care Provider neonate discharged to. Does not include Midwife as midwife is short term care provider (up to six weeks postpartum)	Nurse Practitioner	
			Does not have a primary health care provider	
			Unknown	
Feeding Methods (on day of discharge)	N0015	Multi select. Include all methods of feeding the infant is receiving within 24 hours of discharge to home or other unit/facility	None	Select if Infant has never been fed during stay . 'None' means the baby just has not been fed yet – too young , short stay – for example a baby that is transferred from a SCN to level 3 NICU at 4 hours – baby is not NPO, but just has never been fed yet. Or a baby that gets sent to a hospital closer to home right after birth may not have been fed yet due to the transfer but is not NPO.
			Breast	Select if infant was receiving any breastfeeding in the previous 24 hours of discharge. This should be regardless of the amount of success of breastfeeding.
			Bottle	Select if infant was receiving any bottle feeding in the previous 24 hours of discharge. This should be regardless of the amount of success of bottle feeding. This includes all bottle types.
			Supplementation Device on Breast	Select if infant was receiving any feeding using a supplementation device on the breast in the previous 24 hours of discharge. This should be regardless of the amount of success of the feed. ADD BFI definitions
			Supplementation Device not on Breast ie, finger feed, cup, other	Select if infant was receiving any feeding using a supplementation device NOT on the breast in the previous 24 hours of discharge. This should be regardless of the amount of success of the feed. ADD BFI list
			NPO	Select if infant was NOT receiving any feeding of any kind in the previous 24 hours of discharge. This should be due to medical contraindications. TPN is not considered a feeding method. If infant has not yet received any feeding due to timing alone, score "None" instead.
			Gavage tube	Select if infant was receiving any orogastric or nasogastric tube (into the stomach or beyond - intermittent or indwelling) feeding in the previous 24 hours of discharge. Includes NJ tube
		Supplementary feeding systems	Needs to be removed as already captured in Supplementary Device on Breast and Not on Breast	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Feeding Methods (on day of discharge)	N0015	Multi select. Include all methods of feeding the infant is receiving within 24 hours of discharge to home or other unit/facility	Gastrostomy tube	Select if infant was receiving any feeding via a surgically placed gastrostomy tube (G tube, PEG tube) in the previous 24 hours of discharge. A gastrostomy feeding tube is a feeding tube surgically placed through the skin and the stomach wall, directly into the stomach or small intestine.
			Mucus Fistula Re-feed	Select when proximal bowel contents from enterostomy is re-fed via a mucous fistula.
			Other	Select if infant was receiving any other feeding method (that are not on the existing pick list) in the previous 24 hours of discharge.
			Unknown	Select if the patient's feeding methods were unknown in the previous 24 hours prior to discharge.
Feeding Methods in Hospital	N0218	Indicate only the method(s) of feeding provided in your unit during this NICU/SCN encounter.	None	Select if Infant has never been fed during stay . 'None' means the baby just has not been fed yet – too young , short stay – for example a baby that is transferred from a SCN to level 3 NICU at 4 hours – baby is not NPO, but just has never been fed yet. Or a baby that gets sent to a hospital closer to home right after birth may not have been fed yet due to the transfer but is not NPO.
			Breast	Select if infant was receiving any breastfeeding in the previous 24 hours of discharge. This should be regardless of the amount of success of breastfeeding.
			Bottle	Select if infant was receiving any bottle feeding in the previous 24 hours of discharge. This should be regardless of the amount of success of bottle feeding. This includes all bottle types.
			Supplementation Device on Breast	Select if infant was receiving any feeding using a supplementation device on the breast in the previous 24 hours of discharge. This should be regardless of the amount of success of the feed. ADD BFI definitions
			Supplementation Device not on Breast ie, finger feed, cup, other	Select if infant was receiving any feeding using a supplementation device NOT on the breast in the previous 24 hours of discharge. This should be regardless of the amount of success of the feed. ADD BFI list
			NPO	Select if infant was NOT receiving any feeding of any kind in the previous 24 hours of discharge. This should be due to medical contraindications. TPN is not considered a feeding method. If infant has not yet received any feeding due to timing alone, score "None" instead.
			Gavage tube	Select if infant was receiving any orogastric or nasogastric tube (into the stomach or beyond - intermittent or indwelling) feeding in the previous 24 hours of discharge. Includes NJ tube

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Feeding Methods in Hospital	N0218	Indicate only the method(s) of feeding provided in your unit during this NICU/SCN encounter.	Supplementary feeding systems	Needs to be removed as already captured in Supplementary Device on Breast and Not on Breast
			Gastrostomy tube	Select if infant was receiving any feeding via a surgically placed gastrostomy tube (G tube, PEG tube) in the previous 24 hours of discharge. A gastrostomy feeding tube is a feeding tube surgically placed through the skin and the stomach wall, directly into the stomach or small intestine.
			Mucus Fistula Re-feed	Select when proximal bowel contents from enterostomy is re-fed via a mucous fistula.
			Other	Select if infant was receiving any other feeding method (that are not on the existing pick list) in the previous 24 hours of discharge.
			Unknown	Select if the patient's feeding methods were unknown in the previous 24 hours prior to discharge.
Feeding Type (on day of discharge)	N0229	Indicate infant feeding type(s) on the day of discharge from your unit for this NICU/SCN encounter.	None	
			Breast Milk	
			Donor Milk	
			Formula	
			Human Milk Fortifier	
			NPO	
			Other Additives	
			Study Milk	
			TPN	
			Unknown	
FiO2(%)	D0097	Neonates FIO2 requirement within 12 hours after initiation of NICU/SCN Care - to calculate SNAPII Score		
Generic Comment	D0021	Hospital specific comment		
Gestational Age at Birth (weeks+days; calculated using EDB and DOB)	N0014	The infant's gestational age at the time of birth derived using EDB and DOB in weeks and days. For NSO, gestational age is what is indicated on the newborn screening requisition		

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Gestational age at discharge	N0050	Calculated gestational age of premature infant at discharge from hospital		
Gestational Age on Admission (Days)	D4294	The GA on admission to NICU		
Head Circumference on Discharge from NICU	D0151	Indicate neonatal head circumference (cm) upon discharge from NICU		
Highest Mode of Respiratory Support	N0216	Highest mode of respiratory support provided in your NICU/SCN unit for this encounter. Pick list ordered from highest to lowest. •Invasive High Frequency Ventilation [1-highest] •Intermittent Positive Pressure Ventilation [2] •Non-Invasive Ventilation [3] •Oxygen [4] •Other [5-lowest]	Invasive High Frequency Ventilation	
			Intermittent Positive Pressure Ventilation	
			Non-Invasive Ventilation	
			Oxygen	
			Other	
			Unknown	
Highest Serum Bilirubin >340 µmol/L	N0207	Indicates whether highest serum bilirubin > 340 µmol/L		
Highest Serum Bilirubin >425 µmol/L	N0208	Indicates whether highest serum bilirubin > 425 µmol/L		
Hyperbilirubinemia Requiring Treatment	N0205	Indicates whether hyperbilirubinemia required treatment		
Hyperbilirubinemia treatment	N0206	Hyperbilirubinemia treatment	Phototherapy	
			IVIg administration	
			Exchange transfusion	
			Treatment declined	



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Invasive Ventilation Days	N0047	Indicate total number of days that invasive ventilation was used in your NICU or SCN for this encounter only, with or without oxygen. When the infant receives full day(s) of ventilation support enter the whole number(s). If ventilation support is less than 24 hours, the percentage of the day needs to be calculated by dividing the number of hours by 24. Eight hours = 8/24 = .33. This value can not be longer than the LOS.		
Maximum of Oxygen provided during neonatal resuscitation	N0214	Maximum of Oxygen in % provided during neonatal resuscitation		
Meets RSV prophylaxis criteria	D0105	Indicate whether neonate meets RSV prophylaxis criteria, either in season or out of season		
Multiple Seizures	D0099	Neonates seizure status within 12 hours after initiation of NICU/SCN Care - to calculate SNAPII Score		
Neonatal Birth Complications	N0021	Indicate all newborn complications and/or conditions	None	
			Intracranial hemorrhage	
			Subarachnoid hemorrhage	
			Subdural hemorrhage	
			Unspecified birth injury	
			Subgaleal Hemorrhage	
			Other birth injury	
			Unknown birth injury	
Neonatal Death	N0060	Indicate whether neonatal death occurred. Mandatory on BC encounter if Birth Outcome=Live Birth. (Not visible on BC if Birth Outcome=Stillbirth). Mandatory on PPC and NICU encounters.	No	
			Yes	
			Yes-With Termination of Pregnancy	
Neonatal Death Date	N0138	Indicate day/month/year of neonatal death		
Neonatal Death Time	N0139	Indicate time (24 hour clock) of neonatal death		

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Discharged or Transfer to (NICU/SCN)	N0066	Location infant was transferred or Discharged to from your unit	Home	Select this item if the infant was discharged directly from your NICU/SCN to Home. Select this item even if the child is not going to the family home but to a temporary home with the child's parents/guardians .Do not select if home for Palliative Care**see pick for Palliative Care
			Transfer to Mother / Baby unit, same hospital	Select this item if the infant was transferred from your NICU/SCN to your hospital's mother baby unit or postpartum unit where the infant remains an inpatient.
			Transfer to Paediatric unit, same hospital	Select this item if the infant was transferred from your NICU/SCN to your hospital's pediatric ward where the infant remains an inpatient.
			Child and Family Services Apprehension	Select this item if the infant was discharged directly from your NICU/SCN into the care of Child & Family Services , Childrens Aid Society , and or foster care.
			Transfer to clinic, same hospital	Select if the infant was transferred from your NICU/SCN to a clinic in your hospital where the infant remains an inpatient.
			Transfer to Emergency department, same hospital	Select if the infant was transferred from your NICU/SCN to your hospital's Emergency Department where the infant remains an inpatient.
			Transfer to Labour & Birth unit, same hospital	Select if the infant was transferred from your NICU/SCN to your hospital's labour & delivery unit where the infant remains an inpatient.
			Transfer to Level 2, same hospital	Select if the infant was transferred from your NICU (L3)to your hospital's SCN(L2) unit where the infant remains an inpatient.Only applicable if a Hospital has a Level 3 and Level 2 nursery
			Transfer to Level 3, same hospital	Select if the infant was transferred from your L2 to your hospital's L3 unit where the infant remains an inpatient.Only applicable if a Hosital has a Level 3 and Level 2 nursery
			Transfer to operating room, same hospital	Select if the infant was transferred from your NICU/SCN to your hospital's Operating Room where the infant remains an inpatient.**Does not apply if transferred to OR for surgery only and back to same NICU/SCN
			Transfer to Palliative Care	Select if the infant was discharged directly from your NICU/SCN to Home OR other institution for palliative care.
			Transfer to PICU/PCCU, same hospital	Select if the infant was transferred from your NICU/SCN to your hospital's Pediatric Intensive Care ( PICU / PCCU ) where the infant remains an inpatient.

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Discharged or Transfer to (NICU/SCN)	N0066	Location infant was transferred or Discharged to from your unit	Transfer to same hospital, other	Select this item if the infant was transferred from your NICU/SCN to an alternate unit not on this pick list, in your hospital; and where the infant remains an inpatient.
Neonatal Growth and Development Follow-up	D0144	Does the baby meet your hospitals criteria to be referred to a Neonatal Follow up clinic	No	Select if the baby DOES NOT local criteria for referral to a Neonatal Follow up clinic or Neonatal Growth and Development Clinic or Neuro Developmental Clinic.
			Unknown	Select if it is unknown if the baby meets local criteria for referral to a Neonatal Follow up clinic or Neonatal Growth and Development Clinic or Neuro Developmental Clinic.
			Yes	Select if Infant meets local criteria for referral to a Neonatal Follow up clinic or Neonatal Growth and Development Clinic or Neuro Developmental Clinic.  Check PCMCH NICU Follow UP WG recommendations Appointment made?
Neonatal Health Conditions	D0152	Indicate type(s) of neonatal health problems diagnosed during NICU/SCN stay	None	
			Hyperbilirubinemia (NICU)	
			Hypoglycemia (Gluc)	
			Neonatal abstinence syndrome (NAS)	
			Patent Ductus Arteriosus \ PDA present not treated	
			Patent Ductus Arteriosus \ PDA treated pharmacologically	
			Patent Ductus Arteriosus \ PDA treated with ligation	
			Pneumothorax \ Pneumothorax Present not treated	
			Pneumothorax \ Pneumothorax treated with Chest Tube	
			Pneumothorax \ Pneumothorax treated with Needle Paracentesis	
Pneumothorax \ Pneumothorax treated with 100% Oxygen				
Hypoxic Ischemic Encephalopathy (HIE) \ Stage I				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Health Conditions	D0152	Indicate type(s) of neonatal health problems diagnosed during NICU/SCN stay	Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	
			Other	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Health Conditions	D0152	Indicate type(s) of neonatal health problems diagnosed during NICU/SCN stay	Respiratory \ Pulmonary haemorrhage	
			Respiratory \ Pulmonary Interstitial Emphysema (PIE)	
			Respiratory \ Respiratory distress syndrome	
			Respiratory \ Respiratory distress, unspecified (not RDS)	
			Cardiovascular Conditions \ Anemia of prematurity	
			Cardiovascular Conditions \ Arrythmia	
			Cardiovascular Conditions \ Cardiomyopathy	
			Cardiovascular Conditions \ Coagulopathy but not DIC	
			Cardiovascular Conditions \ Coagulopathy due to Disseminated intravascular coagulation	
			Cardiovascular Conditions \ Fetal blood loss from cut end of co-twin's cord	
			Cardiovascular Conditions \ Fetal blood loss, other	
			Cardiovascular Conditions \ Hemorrhage into co-twin	
			Cardiovascular Conditions \ Hemorrhage into maternal circulation	
			Cardiovascular Conditions \ Hemorrhagic disease due to cause other than Vitamin K Deficiency	
			Cardiovascular Conditions \ Hemorrhagic disease due to Vitamin K Deficiency	
			Cardiovascular Conditions \ Hypertension (BP)	
			Cardiovascular Conditions \ Hypotension (BP)	
Cardiovascular Conditions \ Persistent pulmonary hypertension (PPHN)				
Cardiovascular Conditions \ Portal vein thrombosis				
Cardiovascular Conditions \ Thrombocytopenia				
Gastrointestinal Conditions \ Acquired Stricture post NEC				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Health Conditions	D0152	Indicate type(s) of neonatal health problems diagnosed during NICU/SCN stay	Gastrointestinal Conditions \ Gastroesophageal reflux disease	
			Gastrointestinal Conditions \ Intestinal obstruction	
			Gastrointestinal Conditions \ Intestinal perforation-Spontaneous	
			Gastrointestinal Conditions \ Meconium ileus	
			Gastrointestinal Conditions \ NEC-suspected without pneumatosis	
			Gastrointestinal Conditions \ NEC Stage II-confirmed with pneumatosis	
			Gastrointestinal Conditions \ NEC Stage III-confirmed with pneumatosis & perforation	
			Sepsis \ Positive Blood Culture	
			Sepsis \ Suspected Sepsis (culture negative)	
			Sepsis \ Culture positive lower respiratory tract infection	
			Sepsis \ Culture positive upper respiratory tract infection	
			Sepsis \ Culture positive skin/soft tissue infection	
			Sepsis \ Culture positive urinary infections	
			Sepsis \ Congenital CMV infection	
			Sepsis \ Congenital herpes viral (herpes simplex) infection	
			Sepsis \ Congenital rubella syndrome	
			Sepsis \ Congenital toxoplasmosis	
			Sepsis \ Positive CSF culture (meningitis)	
			Other Health Conditions \ Dehydration	
			Other Health Conditions \ Fever	
Other Health Conditions \ Hemolytic disease due to ABO incompatibility				
Other Health Conditions \ Hemolytic disease due to Rh incompatibility				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Health Conditions	D0152	Indicate type(s) of neonatal health problems diagnosed during NICU/SCN stay	Other Health Conditions \ Hemolytic diseases of fetus and newborn, other	
			Other Health Conditions \ Hydrocele	
			Other Health Conditions \ Hydrops fetalis due to isoimmunization	
			Other Health Conditions \ Hydrops fetalis due to other and unspecified haemolytic disease	
			Other Health Conditions \ Hyperglycemia (Gluc)	
			Other Health Conditions \ Hyperkalemia (K)	
			Other Health Conditions \ Hyponatremia (Na)	
			Other Health Conditions \ Hypertonia	
			Other Health Conditions \ Hypokalemia (K)	
			Other Health Conditions \ Hyponatremia (Na)	
			Other Health Conditions \ Hypothermia (Temp)	
			Other Health Conditions \ Hypotonia	
			Other Health Conditions \ Inguinal hernia	
			Other Health Conditions \ Intrauterine Growth Restriction (IUGR)	
			Other Health Conditions \ Neutropenia	
			Other Health Conditions \ Osteopenia of prematurity	
			Other Health Conditions \ Renal failure	
			Other Health Conditions \ Transient myocardial ischemia	
			Other Health Conditions \ Umbilical hernia	
			Other Health Conditions \ Vocal cord palsy	
			CNS \ CNS   IVH Blood in germinal matrix (grade 1)	
			CNS \ CNS   IVH Blood in ventricles (grade 2)	
			CNS \ CNS   IVH Ventricular enlargement (grade 3)	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Health Conditions	D0152	Indicate type(s) of neonatal health problems diagnosed during NICU/SCN stay	CNS \ CNS   IVH Intraparenchymal lesion (grade 4)	
			CNS \ CNS   PVL periventricular leukomalacia	
			Respiratory \ Transient tachypnea of newborn	
Neonatal Pain Management	N0215	Indicate all type(s) of neonatal pain management provided in your NICU/SCN unit for this encounter.	None	
			Opioid analgesic use \ Fentanyl	
			Opioid analgesic use \ Morphine	
			Oral analgesics including acetaminophen	
			Sedative use \ Benzodiazepines	
			Sedative use \ Chloral Hydrate	
			Sedative use \ Ketamine	
			Sedative use \ Midazolam	
			Sedative use \ Other	
			Sucrose	
Unknown				
Neonatal Resuscitation - Initial Gas Used	N0213	Initial gas used to resuscitate newborn	Air	
			Supplemental Oxygen	
			100% oxygen	
		Unknown		
Neonatal Surgery	FAN0005	Indicate only the type(s) of surgical procedure(s) performed on the neonate in your unit during this NICU/SCN encounter.	None	
			Cardiac surgery	
			Extracorporeal Membrane Oxygenation (ECMO)	
		Necrotizing Enterocolitis (NEC) surgery		



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Surgery	FAN0005	Indicate only the type(s) of surgical procedure(s) performed on the neonate in your unit during this NICU/SCN encounter.	Neurosurgery / Central Nervous System Surgery	
			Other abdominal surgery	
			Other chest surgery	
			Patent Ductus Arteriosus (PDA) ligation	
			Unknown	
Neonatal Therapies/Interventions	N0042	Indicate only the neonatal therapies and/or interventions that occurred for the NICU/SCN encounter at your organization. Please do not capture any interventions and/or therapies completed by the Transport teams or any other NICU/SCN.	None	
			Blood Products in Hospital \ Albumin	
			Blood Products in Hospital \ Cryoprecipitate	
			Dextrose gel	
			Exchange transfusion	
			Glucose monitoring	
			Blood Products in Hospital \ Fresh Frozen Plasma	
			Blood Products in Hospital \ Immunoglobulin	
			Blood Products in Hospital \ Other Blood products	
			Intubation	
			Naso-gastric tube drainage	
			Blood Products in Hospital \ Packed Red Blood Cells	
			Blood Products in Hospital \ Platelets	
			Blood Products in Hospital \ Whole Blood	
			Oral Immune Therapy (OIT)	
			Intravascular Devices in Hospital \ PAL	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Therapies/Interventions	N0042	Indicate only the neonatal therapies and/or interventions that occurred for the NICU/SCN encounter at your organization. Please do not capture any interventions and/or therapies completed by the Transport teams or any other NICU/SCN.	Intravascular Devices in Hospital \ PICC Line	
			Intravascular Devices in Hospital \ PIV	
			Intravascular Devices in Hospital \ Surgical CVL	
			Phototherapy	
			Intravascular Devices in Hospital \ UAC	
			Pre-medication for intubation	
			Intravascular Devices in Hospital \ UVC	
			Therapeutic Hypothermia	
			Venipuncture	
			Pharmacologic Support in Hospital \ Methylxanthines	
			Pharmacologic Support in Hospital \ Antibiotics for GBS	
			Pharmacologic Support in Hospital \ Antibiotics-other	
			Pharmacologic Support in Hospital \ Surfactant	
			Pharmacologic Support in Hospital \ Corticosteroids	
			Pharmacologic Support in Hospital \ Inotropes	
			Pharmacologic Support in Hospital \ Paralytic Agents	
Pharmacologic Support in Hospital \ Anticonvulsants				
Other				
Unknown				
Pharmacologic Support in Hospital \ Morphine for NAS				
Neonatal Transfer Hospital From	D0116	Indicate name of hospital where neonate was transferred from following birth		

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Neonatal Transfer Hospital To	FAN0029	Indicate name of hospital where neonate was transferred to following birth		
Neonatal Transferred from	N0067	To track neonatal transfers and discharges	Labour and Birth Unit, same hospital	
			NICU/SCN, same Hospital	
			Home	
			Birth Centre	
			Admitted from Emergency Department	
			Clinic, same hospital	
			Operating room, same hospital	
			Paediatric unit, same hospital	
			PICU/PCCU, same hospital	
			Non-medical facility (e.g., mall, taxi, ambulance)	
			Unknown	
Neuroimaging Screening Performed	N0226	Indicates whether neuroimaging screening was performed		
Neuroimaging Screening Results Left	N0227	Neuroimaging Screening Results Left	No abnormalities found	
			Blood in Germinal Matrix	
			Blood in Ventricles	
			Cerebellum Hemorrhage	
			Infarct	
			Intracranial Hemorrhage	
			Intraparenchymal lesion	
			Periventricular Leucomalacia	
			Subarachnoid Hemorrhage	

**Encounter: NICU/SCN**

<b>Data Element Name</b>	<b>BORN ID</b>	<b>Data Element Definition</b>	<b>Pick List Value</b>	<b>Pick List Definition</b>
Neuroimaging Screening Results Left	N0227	Neuroimaging Screening Results Left	Subdural Hemorrhage	
			Ventricular Enlargement Mild	
			Ventricular Enlargement Moderate	
			Ventricular Enlargement Severe	
			Other Brain Lesions	
			Unknown	
Neuroimaging Screening Results Right	N0228	Neuroimaging Screening Results Right	No abnormalities found	
			Blood in Germinal Matrix	
			Blood in Ventricles	
			Cerebellum Hemorrhage	
			Infarct	
			Intracranial Hemorrhage	
			Intraparenchymal lesion	
			Periventricular Leucomalacia	
			Subarachnoid Hemorrhage	
			Subdural Hemorrhage	
			Ventricular Enlargement Mild	
			Ventricular Enlargement Moderate	
			Ventricular Enlargement Severe	
			Other Brain Lesions	
			Unknown	
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	None	No anomalies are suspected or confirmed.
			Head-Cranium & Brain \ Absent cerebellar vermis	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Head-Cranium & Brain \ Absent cerebellum	
			Head-Cranium & Brain \ Acrania	
			Head-Cranium & Brain \ Agenesis of corpus callosum (ACC)	
			Head-Cranium & Brain \ Anencephaly	
			Head-Cranium & Brain \ Aqueductal stenosis	
			Head-Cranium & Brain \ Arachnoid cyst(s)	
			Head-Cranium & Brain \ Arhinencephaly	
			Head-Cranium & Brain \ Arnold Chiari malformation	
			Head-Cranium & Brain \ Atresia of foramina of Magendie & Luschka	
			Head-Cranium & Brain \ Banana cerebellum	
			Head-Cranium & Brain \ Brachycephaly	
			Head-Cranium & Brain \ Brain tumor	
			Head-Cranium & Brain \ Calcification - intracranial	
			Head-Cranium & Brain \ Cavum Septi Pellucidum (CSP) absent	
			Head-Cranium & Brain \ Cerebellar & posterior fossa haemorrhage	
			Head-Cranium & Brain \ Cerebral AVM (arteriovenous malformation)	
			Head-Cranium & Brain \ Cloverleaf shaped head	
Head-Cranium & Brain \ Congenital cerebral cysts				
Head-Cranium & Brain \ Craniorachischisis				
Head-Cranium & Brain \ Craniosynostosis				
Head-Cranium & Brain \ Dandy-Walker malformation / variant (DWM)				
Head-Cranium & Brain \ Dolichocephaly				
Head-Cranium & Brain \ Encephalocele				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Head-Cranium & Brain \ Enlarged cisterna magna	
			Head-Cranium & Brain \ Holoprosencephaly	
			Head-Cranium & Brain \ Hydranencephaly	
			Head-Cranium & Brain \ Hydrocephalus	
			Head-Cranium & Brain \ Iniencephaly	
			Head-Cranium & Brain \ Intracerebral haemorrhage	
			Head-Cranium & Brain \ Intraventricular haemorrhage (IVH)	
			Head-Cranium & Brain \ Lissencephaly	
			Head-Cranium & Brain \ Macrocephaly	
			Head-Cranium & Brain \ Megalencephaly	
			Head-Cranium & Brain \ Microcephaly	
			Head-Cranium & Brain \ Plagiocephaly	
			Head-Cranium & Brain \ Porencephalic cyst(s)	
			Head-Cranium & Brain \ Posterior fossa cyst	
			Head-Cranium & Brain \ Prominent forehead	
			Head-Cranium & Brain \ Prominent occiput	
			Head-Cranium & Brain \ Seizures	
Head-Cranium & Brain \ Septo-optic dysplasia				
Head-Cranium & Brain \ Small cerebellum				
Head-Cranium & Brain \ Subarachnoid haemorrhage				
Head-Cranium & Brain \ Vein of Galen aneurysm				
Head-Cranium & Brain \ Ventriculomegaly - mild (10-15 mm)				
Head-Cranium & Brain \ Ventriculomegaly - severe (>15 mm)				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Head-Cranium & Brain \ Other - malformations of the head & Brain	
			Face \ EARS-Ears - absent (anotia)	
			Face \ EARS-Ears - low set	
			Face \ EARS-Ears - small (microtia)	
			Face \ EYES-Anophthalmia	
			Face \ EYES-Congenital cataract	
			Face \ EYES-Cyclops	
			Face \ EYES-Hypertelorism	
			Face \ EYES-Hypotelorism	
			Face \ EYES-Macrophthalmia	
			Face \ EYES-Microphthalmia	
			Face \ EYES-Retinoblastoma	
			Face \ MOUTH-Cleft lip	
			Face \ MOUTH-Cleft lip & palate	
			Face \ MOUTH-Cleft palate	
			Face \ MOUTH-Flat face	
			Face \ MOUTH-Macroglossia	
			Face \ MOUTH-Micrognathia	
			Face \ MOUTH-Retrognathia	
			Face \ NOSE-Absent nose	
Face \ NOSE-Choanal atresia				
Face \ NOSE-Hypoplastic nose				
Face \ NOSE-Proboscis				
Face \ NOSE-Single nostril				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Face \ Tumour of face	
			Face \ Other - malformations of the face	
			Neck \ Cervical teratoma	
			Neck \ Cystic hygroma	
			Neck \ Neck tumour - other	
			Neck \ Other - malformations of the neck	
			Thorax \ Agenesis of lung	
			Thorax \ Bronchopulmonary sequestration (BPS)	
			Thorax \ Chest wall deformity	
			Thorax \ Congenital cystic adenomatoid malformation of lung (CCAML)	
			Thorax \ Congenital high airway obstruction (CHAOS)	
			Thorax \ Diaphragmatic hernia - Congenital (CDH)	
			Thorax \ Echogenic lung(s)	
			Thorax \ Eventration of diaphragm	
			Thorax \ Lung cysts-other	
			Thorax \ Pectus carinatum	
			Thorax \ Pectus excavatum	
			Thorax \ Pleural effusion(s) (hydrothorax)	
			Thorax \ Pulmonary hypoplasia	
			Thorax \ Other - congenital malformations of lung	
Thorax \ Other congenital malformations of diaphragm				
Cardiovascular \ Aorta - pulmonary window				
Cardiovascular \ Aortic arch - double				



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Cardiovascular \ Aortic arch - hypoplastic	
			Cardiovascular \ Aortic arch - interrupted	
			Cardiovascular \ Aortic atresia	
			Cardiovascular \ Aortic valve insufficiency	
			Cardiovascular \ Aortic valve stenosis	
			Cardiovascular \ Arrhythmia	
			Cardiovascular \ Atrial fibrillation	
			Cardiovascular \ Atrial septal defect (ASD)	
			Cardiovascular \ Atrioventricular septal defect (AVSD) (endocardial cushion defect)	
			Cardiovascular \ Bilateral SVC (superior venae cava)	
			Cardiovascular \ Bradycardia (bradyarrhythmia)	
			Cardiovascular \ Cardiac dysfunction	
			Cardiovascular \ Cardiac tumour / mass	
			Cardiovascular \ Cardiomegaly	
			Cardiovascular \ Cardiomyopathy - dilated	
			Cardiovascular \ Cardiomyopathy - fetus of diabetic mother	
			Cardiovascular \ Cardiomyopathy - hypertrophic (HOCM)	
			Cardiovascular \ Coarctation of aorta	
			Cardiovascular \ Common atrium	
			Cardiovascular \ Complete Heart Block	
Cardiovascular \ Incomplete Congenital heart block (CHB)				
Cardiovascular \ Congenital heart disease				
Cardiovascular \ Coronary artery fistula				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Cardiovascular \ Dextrocardia	
			Cardiovascular \ Dilated ascending aorta	
			Cardiovascular \ Diverticulum - LV	
			Cardiovascular \ Diverticulum - RV	
			Cardiovascular \ Double inlet ventricle (DIV)	
			Cardiovascular \ Double outlet ventricle (DOV)	
			Cardiovascular \ Ductus arteriosus - premature closure	
			Cardiovascular \ Ductus arteriosus aneurysm	
			Cardiovascular \ Ductus arteriosus - Patent (PDA)	
			Cardiovascular \ Ductus venosus - agenesis	
			Cardiovascular \ Ebstein anomaly	
			Cardiovascular \ Ectopia cordis	
			Cardiovascular \ Endocardial fibroelastosis (EFE)	
			Cardiovascular \ Fibroma - cardiac	
			Cardiovascular \ Hypoplastic left heart syndrome (HLHS)	
			Cardiovascular \ Hypoplastic right heart syndrome (HRHS)	
			Cardiovascular \ Interrupted IVC (superior vena cava)	
Cardiovascular \ Left atrial isomerism (heterotaxy)				
Cardiovascular \ Mitral atresia				
Cardiovascular \ Mitral regurgitation				
Cardiovascular \ Mitral stenosis				
Cardiovascular \ Mitral valve dysplasia				
Cardiovascular \ Partial anomalous pulmonary venous drainage (PAPVD)				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Cardiovascular \ Pericardial/Paracardial cyst	
			Cardiovascular \ Pericardial effusion	
			Cardiovascular \ Persistent left SVC (superior vena cava)	
			Cardiovascular \ Premature atrial contractions (PAC's)	
			Cardiovascular \ Premature closure of atrial septum (PFO)	
			Cardiovascular \ Premature ventricular contractions (PVC's)	
			Cardiovascular \ Pulmonary (valve) atresia	
			Cardiovascular \ Pulmonary (valve) stenosis (PS)	
			Cardiovascular \ Pulmonary insufficiency	
			Cardiovascular \ Pulmonary valve dysplasia	
			Cardiovascular \ Rhabdomyoma(s) - cardiac	
			Cardiovascular \ Right aortic arch	
			Cardiovascular \ Right atrial isomerism (heterotaxy)	
			Cardiovascular \ Scimitar syndrome	
			Cardiovascular \ Shone's syndrome	
			Cardiovascular \ Single outlet ventricle	
			Cardiovascular \ Single ventricle (univentricular heart)	
			Cardiovascular \ Single ventricle / univentricular connection	
			Cardiovascular \ Situs inversus - cardiac	
			Cardiovascular \ Subaortic stenosis	
			Cardiovascular \ Supra ventricular tachycardia (SVT)	
			Cardiovascular \ Tachycardia (tachyarrhythmia)	
			Cardiovascular \ Tetralogy of Fallot (TOF)	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Cardiovascular \ Total anomalous pulmonary venous drainage (TAPVD)	
			Cardiovascular \ Transposition of great arteries - congenitally corrected (CCTGA)	
			Cardiovascular \ Transposition of great vessels (TGA)	
			Cardiovascular \ Tricuspid atresia	
			Cardiovascular \ Tricuspid regurgitation	
			Cardiovascular \ Tricuspid stenosis	
			Cardiovascular \ Tricuspid valve dysplasia	
			Cardiovascular \ Truncus arteriosus	
			Cardiovascular \ Vascular ring	
			Cardiovascular \ Valvular Anomalies	
			Cardiovascular \ Ventricular disproportion (RV>LV)	
			Cardiovascular \ Ventricular septal defect (VSD)	
			Cardiovascular \ Ventricular tachycardia	
			Cardiovascular \ Other - cardiac malformations not classified elsewhere	
			Cardiovascular \ Other heart abnormalities	
			Abdominal Wall \ Bladder exstrophy	
			Abdominal Wall \ Body stalk anomaly (limb body wall complex)	
			Abdominal Wall \ Cloacal exstrophy	
			Abdominal Wall \ Gastroschisis	
			Abdominal Wall \ Limb body wall complex (body stalk anomaly)	
Abdominal Wall \ Omphalocele (exomphalos)				
Abdominal Wall \ Pentalogy of Cantrell				
Abdominal Wall \ Umbilical hernia				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Abdominal Wall \ Other - congenital malformations of abdominal wall	
			Gastrointestinal \ Abnormal Esophagus	
			Gastrointestinal \ Abnormal Gallbladder	
			Gastrointestinal \ Abnormal Large Bowel	
			Gastrointestinal \ Abnormal Liver	
			Gastrointestinal \ Abnormal Small Bowel	
			Gastrointestinal \ Abnormal Stomach	
			Gastrointestinal \ Absent gallbladder	
			Gastrointestinal \ Absent stomach	
			Gastrointestinal \ Adrenal cyst(s)	
			Gastrointestinal \ Ascites	
			Gastrointestinal \ Asplenia	
			Gastrointestinal \ Atresia small or large intestine	
			Gastrointestinal \ Biliary atresia	
			Gastrointestinal \ Bowel obstruction small or large intestine	
			Gastrointestinal \ Choledochal cyst(s)	
			Gastrointestinal \ Dilated gallbladder	
			Gastrointestinal \ Dilated stomach	
			Gastrointestinal \ Duodenal atresia	
			Gastrointestinal \ Esophageal atresia	
Gastrointestinal \ Esophageal diverticulum				
Gastrointestinal \ Hepatomegaly				
Gastrointestinal \ Hirschsprung's disease				
Gastrointestinal \ Hyperperistalsis				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Gastrointestinal \ Imperforate anus	
			Gastrointestinal \ Intra-abdominal cyst(s)	
			Gastrointestinal \ Large bowel obstruction	
			Gastrointestinal \ Liver cyst(s)	
			Gastrointestinal \ Liver nodule	
			Gastrointestinal \ Meconium ileus	
			Gastrointestinal \ Meconium peritonitis	
			Gastrointestinal \ Mesenteric cyst	
			Gastrointestinal \ Ovarian cyst(s)	
			Gastrointestinal \ Pancreatic cyst(s)	
			Gastrointestinal \ Perinatal intestinal perforation	
			Gastrointestinal \ Polysplenia	
			Gastrointestinal \ Pyloric stenosis	
			Gastrointestinal \ Situs inversus - abdominal	
			Gastrointestinal \ Small bowel obstruction	
			Gastrointestinal \ Small stomach	
			Gastrointestinal \ Splenomegaly	
			Gastrointestinal \ Stenois small or large intestine	
			Gastrointestinal \ Tracheo-esophageal fistula (TEF)	
			Gastrointestinal \ Other - malformations of the gastro-intestinal tract	
Genitourinary Tract \ Ambiguous genitalia / indeterminate sex				
Genitourinary Tract \ Autosomal dominant polycystic kidney disease (ADPKD)				
Genitourinary Tract \ Autosomal recessive polycystic kidney disease (ARPKD)				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Genitourinary Tract \ Absent bladder	
			Genitourinary Tract \ Bladder diverticulum	
			Genitourinary Tract \ Bladder exstrophy	
			Genitourinary Tract \ Cloacal dysgenesis	
			Genitourinary Tract \ Cloacal exstrophy	
			Genitourinary Tract \ Cystic kidney(s) - other	
			Genitourinary Tract \ Duplex kidney/collecting system	
			Genitourinary Tract \ Echogenic kidney(s)	
			Genitourinary Tract \ Ectopic/pelvic kidney	
			Genitourinary Tract \ Hydrocoele	
			Genitourinary Tract \ Hydronephrosis (>10 mm)	
			Genitourinary Tract \ Hyperplastic & giant kidney(s)	
			Genitourinary Tract \ Hypoplastic kidney(s)	
			Genitourinary Tract \ Hypospadias	
			Genitourinary Tract \ Keyhole bladder/urethra	
			Genitourinary Tract \ Keyhole sign	
			Genitourinary Tract \ Lower urinary tract obstruction (LUTO)	
			Genitourinary Tract \ Megacystis	
			Genitourinary Tract \ Megaureter	
			Genitourinary Tract \ Multicystic kidney disease (MCKD)	
Genitourinary Tract \ Posterior urethral valves (PUV)				
Genitourinary Tract \ Prune belly				
Genitourinary Tract \ Pseudohermaphroditism				

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Genitourinary Tract \ Renal agenesis	
			Genitourinary Tract \ Renal cyst	
			Genitourinary Tract \ Renal dysplasia	
			Genitourinary Tract \ Undescended testicle(s)	
			Genitourinary Tract \ Ureterocoele	
			Genitourinary Tract \ Urethral atresia	
			Genitourinary Tract \ Urethral obstruction malformation complex	
			Genitourinary Tract \ Other - malformations of female genitalia	
			Genitourinary Tract \ Other - malformations of male genitalia	
			Genitourinary Tract \ Other - malformations of urinary system	
			Spine - Back \ Ankylosing spondylitis	
			Spine - Back \ Caudal regression syndrome	
			Spine - Back \ NTD (neural tube defect) with hydrocephalus	
			Spine - Back \ NTD (neural tube defect) without hydrocephalus	
			Spine - Back \ Sacral agenesis	
			Spine - Back \ Sacrococcygeal teratoma (SCT)	
			Spine - Back \ Other - malformations of the spine	
			Extremities-skeletal \ Arms/legs-Bowed femur	
			Extremities-skeletal \ Arms/legs-Bowed humerus	
			Extremities-skeletal \ Arms/legs-Bowed radius &/or ulna	
			Extremities-skeletal \ Arms/legs-Bowed tibia &/or fibula	
			Extremities-skeletal \ Arms/legs-Fracture(s) - long bones	



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Extremities-skeletal \ Generalized/other-Akinesia deformation sequence - fetal (FADS)	
			Extremities-skeletal \ Generalized/other-Arthrogryposis multiplex congenita	
			Extremities-skeletal \ Generalized/other-Congenital malformations of spine & bony thorax	
			Extremities-skeletal \ Generalized/other-Fixed flexion deformity	
			Extremities-skeletal \ Generalized/other-Fracture (s) - ribs	
			Extremities-skeletal \ Generalized/other-Hip Dislocation - congenital	
			Extremities-skeletal \ Generalized/other-Hypomineralization	
			Extremities-skeletal \ Generalized/other-Limb reduction defect(s) (LRD) - lower limb	
			Extremities-skeletal \ Generalized/other-Limb reduction defect(s) (LRD) - upper limb	
			Extremities-skeletal \ Generalized/other-Malformation of sternum	
			Extremities-skeletal \ Generalized/other-Phocomelia	
			Extremities-skeletal \ Generalized/other-Sirenomelia	
			Extremities-skeletal \ Generalized/other-Skeletal dysplasia -other	
			Extremities-skeletal \ Hands/feet-Adactyly (absent fingers/ toes)	
			Extremities-skeletal \ Hands/feet-Brachydactyly (short fingers/toes)	
			Extremities-skeletal \ Hands/feet-Clenched hands (persistently)	
			Extremities-skeletal \ Hands/feet-Clinodactyly (fifth finger)	
			Extremities-skeletal \ Hands/feet-Club foot	
			Extremities-skeletal \ Hands/feet-Ectrodactyly (lobster-claw / cleft hand)	
			Extremities-skeletal \ Hands/feet-Fused toes	
			Extremities-skeletal \ Hands/feet-Overlapping fingers	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Extremities-skeletal \ Hands/feet-Polydactyly (feet)	
			Extremities-skeletal \ Hands/feet-Polydactyly (hands)	
			Extremities-skeletal \ Hands/feet-Radial ray anomaly (absent thumb)	
			Extremities-skeletal \ Hands/feet-Rocker-bottom feet	
			Extremities-skeletal \ Hands/feet-Sandal gap toes	
			Extremities-skeletal \ Hands/feet-Syndactyly (feet)	
			Extremities-skeletal \ Hands/feet-Syndactyly (hands)	
			Extremities-skeletal \ Hands/feet-Webbed fingers	
			Extremities-skeletal \ Hands/feet-Webbed toes	
			Extremities-skeletal \ Micromelia	
			Extremities-skeletal \ Muscle/connective tissue disorders-Duchenne muscular dystrophy (DMD)	
			Extremities-skeletal \ Muscle/connective tissue disorders-Ehlers-Danlos syndrome	
			Extremities-skeletal \ Muscle/connective tissue disorders-Hypotonia	
			Extremities-skeletal \ Muscle/connective tissue disorders-Spinal muscular atrophy (SMA)	
			Extremities-skeletal \ Muscle/connective tissue disorders-Other - malformations of the musculoskeletal system	
			Extremities-skeletal \ Skeletal Dysplasias-Achondrogenesis	
Extremities-skeletal \ Skeletal Dysplasias-Achondroplasia				
Extremities-skeletal \ Skeletal Dysplasias-Campomelic dysplasia				
Extremities-skeletal \ Skeletal Dysplasias-Chondrodysplasia punctata				
Extremities-skeletal \ Skeletal Dysplasias-Diastrophic dysplasia				
Extremities-skeletal \ Skeletal Dysplasias-Ellis-van Creveld syndrome				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Extremities-skeletal \ Skeletal Dysplasias-Osteogenesis imperfecta	
			Extremities-skeletal \ Skeletal Dysplasias-Short rib polydactyly syndrome - type VII	
			Extremities-skeletal \ Skeletal Dysplasias-Thanatophoric dysplasia	
			Structural-other \ Amniotic Bands	
			Structural-other \ Hydrops Fetalis	
			Structural-other \ Other - malformations not classified elsewhere	
			Chromosomes \ 45,X (Turner syndrome)	
			Chromosomes \ 47,XXX	
			Chromosomes \ 47,XXY (Klinefelter syndrome)	
			Chromosomes \ 47,YYY	
			Chromosomes \ Array CGH abnormal or other	
			Chromosomes \ Balanced translocation	
			Chromosomes \ Deletion - other	
			Chromosomes \ Di George Syndrome (22 q11 deletion)	
			Chromosomes \ Microdeletion syndrome - other	
			Chromosomes \ Mosaicism	
Chromosomes \ Paracentric inversion				
Chromosomes \ Pericentric inversion				
Chromosomes \ Triploidy /polploidy				
Chromosomes \ Trisomy - other				
Chromosomes \ Trisomy 13				
Chromosomes \ Trisomy 18				
Chromosomes \ Trisomy 21 (Down syndrome)				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Chromosomes \ Trisomy 21 (Down syndrome) - mosaic	
			Chromosomes \ Trisomy 21 (Down syndrome) - translocation	
			Chromosomes \ Unbalanced translocation	
			Chromosomes \ Other	
			Congenital Infections \ CMV (cytomegalovirus) infection - congenital	
			Congenital Infections \ Enterovirus infections	
			Congenital Infections \ Herpes simplex virus (HSV) infection - congenital	
			Congenital Infections \ HIV	
			Congenital Infections \ Rubella syndrome - congenital	
			Congenital Infections \ Toxoplasmosis	
			Congenital Infections \ Tuberculosis (TB) - congenital	
			Congenital Infections \ Varicella-zoster virus	
			Congenital Infections \ Other - infections	
			Teratogenic Exposures \ Diabetic Embryopathy	
			Teratogenic Exposures \ Etretnate embryopathy	
			Teratogenic Exposures \ Fetal alcohol syndrome	
			Teratogenic Exposures \ Fetal aminopterin/methotrexate syndrome	
Teratogenic Exposures \ Fetal hydantoin syndrome				
Teratogenic Exposures \ Fetal valproate syndrome				
Teratogenic Exposures \ Isotretinoin teratogen syndrome				
Teratogenic Exposures \ Maternal Phenylketonuria				
Teratogenic Exposures \ Retinoic acid embryopathy				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Teratogenic Exposures \ Rhesus Disease	
			Teratogenic Exposures \ Thalidomide embryopathy	
			Teratogenic Exposures \ Toluene embryopathy	
			Teratogenic Exposures \ Vitamin A teratogenicity	
			Teratogenic Exposures \ Warfarin dysmorphism	
			Teratogenic Exposures \ Other -teratogenic embryopathy	
			Teratogenic Exposures \ Other-antiepileptic embryopathy	
			Twins \ Acardiac twin	
			Twins \ Conjoined twins	
			Twins \ Dichorionic (DC) twins	
			Twins \ Discordant DC twin growth	
			Twins \ Discordant MC twin growth	
			Twins \ Discordant twin anomaly	
			Twins \ Mono-amniotic (MA) twins	
			Twins \ Monochorionic diamniotic (MC/DA) twins	
			Twins \ Twin-twin transfusion syndrome (TTTS)	
			Twins \ Other - malformations of twins	
			Syndromes \ Aarskogs Syndrome	
			Syndromes \ Achondrogenesis	
			Syndromes \ Achondroplasia	
Syndromes \ Acroesomelic Dysplasia				
Syndromes \ Acrofacial Dysostosis				
Syndromes \ Adrenal Hyperplasia				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Alpha-1-Antitrypsin	
			Syndromes \ Alports Syndrome	
			Syndromes \ Amyloplasia Congenita	
			Syndromes \ Angelmans Syndrome	
			Syndromes \ Anophthalmia	
			Syndromes \ Aqueductal stenosis - X linked (L1 syndrome)	
			Syndromes \ Arthrogryposis Multiplex Congenita	
			Syndromes \ Ataxia-telangiectasis	
			Syndromes \ Autosomal dominant polycystic kidney disease	
			Syndromes \ Autosomal Recessive Polycystic Kidney Disease	
			Syndromes \ Beckwith-Wiedemann	
			Syndromes \ Biotinidase deficiency (BIOT)	
			Syndromes \ CADASIL	
			Syndromes \ Congenital Adrenal Hyperplasia (CAH)	
			Syndromes \ Camptomelic dysplaia	
			Syndromes \ Carnitine uptake defect (CUD)	
			Syndromes \ Caudal regression syndrome	
Syndromes \ Cerebral Palsy				
Syndromes \ Charcot-Marie-Tooth				
Syndromes \ CHARGE association				
Syndromes \ Chronrodysplasia Punctata				
Syndromes \ Cleidocranial Dysplasia				
Syndromes \ Coffin-Lowry syndrome				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Congenital hypothyroidism (HYPOTH)	
			Syndromes \ Congenital Myotonic Dystrophy	
			Syndromes \ Congenital Nephrotic Syndrome	
			Syndromes \ Cornelia Delange	
			Syndromes \ CPS (Carbamyl Phosphate Deficiency)	
			Syndromes \ Craniosynostosis Saethre-Crouzon	
			Syndromes \ Cri-du-Chat Syndrome	
			Syndromes \ Crouzon's syndrome	
			Syndromes \ Cryptophthalmus	
			Syndromes \ Cystic Fibrosis	
			Syndromes \ Dandy-walker syndrome	
			Syndromes \ Dextrocardia	
			Syndromes \ Diastrophic dysplasia	
			Syndromes \ Digeorge Syndrome	
			Syndromes \ Dysautonomia - familial	
			Syndromes \ Ectodermal Dysplasia	
			Syndromes \ Ehlers-Danlos syndrome	
Syndromes \ Ellis Van Creveld Syndrome				
Syndromes \ Epidermolysis Bullosa				
Syndromes \ F-HYPDRR Familial hypophosphatemia				
Syndromes \ Fabry's Disease				
Syndromes \ Factor V				
Syndromes \ Fanconi Anemia				
Syndromes \ Fragile X Syndrome				

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Fraser Syndrome - cryptophthalmos syndrome	
			Syndromes \ Freeman-Sheldon Syndrome	
			Syndromes \ Friederichs Ataxia	
			Syndromes \ Frontonasal dysplasia	
			Syndromes \ FSHD (Fascioscapulohumeral Muscular Dystrophy)	
			Syndromes \ Galactosemia (GALT)	
			Syndromes \ Gaucher	
			Syndromes \ Gilbert's disease	
			Syndromes \ Glucose-6-phosphate dehydrogenase (G6PD)	
			Syndromes \ Glutaric acidemia type I (GA I)	
			Syndromes \ Goldenhar Syndrome	
			Syndromes \ Gorlin Syndrome	
			Syndromes \ GSD (Glycogen Storage Disease)	
			Syndromes \ Hard +/- e syndrome	
			Syndromes \ Harlequin Ichthyosis	
			Syndromes \ Hemi-hypertrophy	
			Syndromes \ Hemophilia A/ B	
			Syndromes \ Hereditary nephritis	
			Syndromes \ Hereditary Hemorrhagic Telangiectasia (HHT)	
			Syndromes \ Hereditary Multiple Exostoses (HME)	
			Syndromes \ Holt-Oram	
			Syndromes \ Homocystinosis	
			Syndromes \ Homocystinuria (HCY)	



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Hunter Syndrome	
			Syndromes \ Hurlers Syndrome	
			Syndromes \ Hydrocephalus X-Linked	
			Syndromes \ Hydrolethalus	
			Syndromes \ Hypochondroplasia	
			Syndromes \ Hypoglycemia	
			Syndromes \ Hypophosphatasia	
			Syndromes \ Ichthyosis (non X-linked)	
			Syndromes \ Ichthyosis X-linked (STS deficiency)	
			Syndromes \ Idiopathic hypoparathyroidism	
			Syndromes \ Incontinentia Pigmenti	
			Syndromes \ Isovaleric academia (IVA)	
			Syndromes \ Ivermark Syndrome	
			Syndromes \ Joubert Syndrome	
			Syndromes \ Klippel-Trenaunay Syndrome	
			Syndromes \ Krabbe	
			Syndromes \ Larsen Syndrome	
			Syndromes \ LCHAD	
			Syndromes \ Leigh's Syndrome	
			Syndromes \ Lesch Nyhan	
Syndromes \ Limb-Girdle Muscular Dystrophy				
Syndromes \ Long Q-T Syndrome				
Syndromes \ Lysosomal Storage Disease (IEM)				
Syndromes \ Machado-Joseph Disease				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Maple syrup urine disease (MSUD)	
			Syndromes \ Marfan syndrome	
			Syndromes \ McKusick-Koffman Syndrome	
			Syndromes \ Meckel-Gruber syndrome	
			Syndromes \ Medium chain acyl-CoA dehydrogenase deficiency (MCAD)	
			Syndromes \ MELAS	
			Syndromes \ Menkes	
			Syndromes \ MERFF	
			Syndromes \ Metachromatic Leukodystrophy	
			Syndromes \ Methylenetetrahydrofolate Reductase Deficiency	
			Syndromes \ Methylmalonic Acidemia	
			Syndromes \ Methylmalonic acidemia (Cbl A and B)	
			Syndromes \ Methylmalonic acidemia (mutase deficiency) (MUT)	
			Syndromes \ Miller-Dieker Syndrome	
			Syndromes \ Morquio Syndrome	
			Syndromes \ MPS (Mucopolysaccharidosis)	
			Syndromes \ Multiple carboxylase deficiency (MCD)	
			Syndromes \ Multiple Congenital Anomalies (Unknown Origin)	
			Syndromes \ Multiple pterygium syndrome	
			Syndromes \ Myotonic Dystrophy	
Syndromes \ Nail-Patella Syndrome				
Syndromes \ Neurofibromatosis 1				
Syndromes \ Neurofibromatosis 2				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Nieman-Pick	
			Syndromes \ Noonan Syndrome	
			Syndromes \ OculodentodiGastrointestinalal Syndrome	
			Syndromes \ Opitz Syndrome	
			Syndromes \ Oromandibular Limb Hypogenesis	
			Syndromes \ Osteogenesis Imperfecta	
			Syndromes \ OTC Deficiency	
			Syndromes \ Otosclerosis	
			Syndromes \ Pallister-Hall Syndrome	
			Syndromes \ Pelizaeus-merzbacher-like disease	
			Syndromes \ Peters' anomaly (brachymesomelia)	
			Syndromes \ Peutz-Jeghers Syndrome	
			Syndromes \ Pfeiffer Syndrome	
			Syndromes \ Pick's Disease	
			Syndromes \ Pierre Robin	
			Syndromes \ PKU	
			Syndromes \ Poland Sequence Syndrome	
			Syndromes \ Pompe's disease	
			Syndromes \ Porphyria	
			Syndromes \ Potter's Syndrome	
			Syndromes \ Prader Willi	
			Syndromes \ Progeria	
			Syndromes \ Progressive Spinobulbar muscular atrophy	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Propionic acidemia (PROP)	
			Syndromes \ Protein C deficiency	
			Syndromes \ Proteus Syndrome	
			Syndromes \ Prune belly syndrome	
			Syndromes \ Pyruvate Carboxylase Deficiency	
			Syndromes \ Pyruvate Dehydrogenase Deficiency	
			Syndromes \ Renal Adysplasia	
			Syndromes \ Restrictive Dermopathy	
			Syndromes \ Retinis Pigmentosa	
			Syndromes \ Retinoblastoma	
			Syndromes \ Rubenstein-Taybi Syndrome	
			Syndromes \ Russell-Silver Syndrome	
			Syndromes \ Short rib polydactyly syndrome - type VII	
			Syndromes \ Short-rib-Polydactyly Syndrome	
			Syndromes \ Sialidosis	
			Syndromes \ Sickle Cell Anemia	
			Syndromes \ Situs Ambiguous	
			Syndromes \ Sjogren syndrome	
			Syndromes \ Smith-Lemli-Opitz	
			Syndromes \ Smith-Magenis Syndrome	
Syndromes \ Sotos Syndrome				
Syndromes \ Spinal Muscular Atrophy				
Syndromes \ Stickler Syndrome				
Syndromes \ Sturge-Weber Syndrome				

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Confirmed	D0025	Identify all confirmed/diagnosed congenital anomalies; include treated and untreated.	Syndromes \ Syndrome not otherwise specified	
			Syndromes \ TAR (thrombocytopenia-absent radius) syndrome	
			Syndromes \ Tay-Sachs - gm2-gangliosidosis type 1	
			Syndromes \ Thalassemia-alpha	
			Syndromes \ Thalassemia-beta	
			Syndromes \ Thanatrophic dysplasia	
			Syndromes \ Treacher Collins syndrome	
			Syndromes \ Tuberous Sclerosis	
			Syndromes \ Tumours (Sacrococcygeal Teratoma - Paragangliomata)	
			Syndromes \ Tyrosinemia type I (TYR I)	
			Syndromes \ VATER syndrome	
			Syndromes \ Very long-chain acyl-CoA dehydrogenase deficiency (VLCAD)	
			Syndromes \ Von Willibrand Disease	
			Syndromes \ Waardenberg Syndrome	
			Syndromes \ Walker-Warburg Syndrome	
			Syndromes \ Williams syndrome (idiopathic hypercalcaemia)	
			Syndromes \ Wilson Disease	
			Syndromes \ Wolf-hirschhorn syndrome	
			Syndromes \ Xeroderma Pigmentosum	
			Syndromes \ Zellweger (cerebro-hepato-renal) syndrome	
			Unknown	More information is needed and/or there is no documentation to indicate whether or not any congenital anomalies are suspected or confirmed.
Newborn Congenital Anomalies Identified	D0024-1	Indication whether there were suspected or confirmed newborn congenital anomalies	None	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Identified	D0024-1	Indication whether there were suspected or confirmed newborn congenital anomalies	Suspected or Confirmed	
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	None	No anomalies are suspected or confirmed.
			Head-Cranium & Brain \ Absent cerebellar vermis	
			Head-Cranium & Brain \ Absent cerebellum	
			Head-Cranium & Brain \ Acrania	
			Head-Cranium & Brain \ Agenesis of corpus callosum (ACC)	
			Head-Cranium & Brain \ Anencephaly	
			Head-Cranium & Brain \ Aqueductal stenosis	
			Head-Cranium & Brain \ Arachnoid cyst(s)	
			Head-Cranium & Brain \ Arhinencephaly	
			Head-Cranium & Brain \ Arnold Chiari malformation	
			Head-Cranium & Brain \ Atresia of foramina of Magendie & Luschka	
			Head-Cranium & Brain \ Banana cerebellum	
			Head-Cranium & Brain \ Brachycephaly	
			Head-Cranium & Brain \ Brain tumor	
			Head-Cranium & Brain \ Calcification - intracranial	
			Head-Cranium & Brain \ Cavum Septi Pellucidum (CSP) absent	
			Head-Cranium & Brain \ Cerebellar & posterior fossa haemorrhage	
			Head-Cranium & Brain \ Cerebral AVM (arteriovenous malformation)	
			Head-Cranium & Brain \ Cloverleaf shaped head	
			Head-Cranium & Brain \ Congenital cerebral cysts	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Head-Cranium & Brain \ Craniorachischisis	
			Head-Cranium & Brain \ Craniosynostosis	
			Head-Cranium & Brain \ Dandy-Walker malformation / variant (DWM)	
			Head-Cranium & Brain \ Dolichocephaly	
			Head-Cranium & Brain \ Encephalocele	
			Head-Cranium & Brain \ Enlarged cisterna magna	
			Head-Cranium & Brain \ Holoprosencephaly	
			Head-Cranium & Brain \ Hydranencephaly	
			Head-Cranium & Brain \ Hydrocephalus	
			Head-Cranium & Brain \ Iniencephaly	
			Head-Cranium & Brain \ Intracerebral haemorrhage	
			Head-Cranium & Brain \ Intraventricular haemorrhage (IVH)	
			Head-Cranium & Brain \ Lissencephaly	
			Head-Cranium & Brain \ Macrocephaly	
			Head-Cranium & Brain \ Megalencephaly	
			Head-Cranium & Brain \ Microcephaly	
			Head-Cranium & Brain \ Plagiocephaly	
			Head-Cranium & Brain \ Porencephalic cyst(s)	
			Head-Cranium & Brain \ Posterior fossa cyst	
			Head-Cranium & Brain \ Prominent forehead	
			Head-Cranium & Brain \ Prominent occiput	
			Head-Cranium & Brain \ Seizures	

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Head-Cranium & Brain \ Septo-optic dysplasia	
			Head-Cranium & Brain \ Small cerebellum	
			Head-Cranium & Brain \ Subarachnoid haemorrhage	
			Head-Cranium & Brain \ Vein of Galen aneurysm	
			Head-Cranium & Brain \ Ventriculomegaly - mild (10-15 mm)	
			Head-Cranium & Brain \ Ventriculomegaly - severe (>15 mm)	
			Head-Cranium & Brain \ Other - malformations of the head & Brain	
			Face \ EARS-Ears - absent (anotia)	
			Face \ EARS-Ears - low set	
			Face \ EARS-Ears - small (microtia)	
			Face \ EYES-Anophthalmia	
			Face \ EYES-Congenital cataract	
			Face \ EYES-Cyclops	
			Face \ EYES-Hypertelorism	
			Face \ EYES-Hypotelorism	
			Face \ EYES-Macrophthalmia	
			Face \ EYES-Microphthalmia	
			Face \ EYES-Retinoblastoma	
			Face \ MOUTH-Cleft lip	
			Face \ MOUTH-Cleft lip & palate	
			Face \ MOUTH-Cleft palate	
			Face \ MOUTH-Flat face	



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Face \ MOUTH-Macroglossia	
			Face \ MOUTH-Micrognathia	
			Face \ MOUTH-Retrognathia	
			Face \ NOSE-Absent nose	
			Face \ NOSE-Choanal atresia	
			Face \ NOSE-Hypoplastic nose	
			Face \ NOSE-Proboscis	
			Face \ NOSE-Single nostril	
			Face \ Tumour of face	
			Face \ Other - malformations of the face	
			Neck \ Cervical teratoma	
			Neck \ Cystic hygroma	
			Neck \ Neck tumour - other	
			Neck \ Other - malformations of the neck	
			Thorax \ Agenesis of lung	
			Thorax \ Bronchopulmonary sequestration (BPS)	
			Thorax \ Chest wall deformity	
			Thorax \ Congenital cystic adenomatoid malformation of lung (CCAML)	
			Thorax \ Congenital high airway obstruction (CHAOS)	
			Thorax \ Diaphragmatic hernia - Congenital (CDH)	
			Thorax \ Echogenic lung(s)	
			Thorax \ Eventration of diaphragm	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Thorax \ Lung cysts-other	
			Thorax \ Pectus carinatum	
			Thorax \ Pectus excavatum	
			Thorax \ Pleural effusion(s) (hydrothorax)	
			Thorax \ Pulmonary hypoplasia	
			Thorax \ Other - congenital malformations of lung	
			Thorax \ Other congenital malformations of diaphragm	
			Cardiovascular \ Aorta - pulmonary window	
			Cardiovascular \ Aortic arch - double	
			Cardiovascular \ Aortic arch - hypoplastic	
			Cardiovascular \ Aortic arch - interrupted	
			Cardiovascular \ Aortic atresia	
			Cardiovascular \ Aortic valve insufficiency	
			Cardiovascular \ Aortic valve stenosis	
			Cardiovascular \ Arrhythmia	
			Cardiovascular \ Atrial fibrillation	
			Cardiovascular \ Atrial septal defect (ASD)	
			Cardiovascular \ Atrioventricular septal defect (AVSD) (endocardial cushion defect)	
			Cardiovascular \ Bilateral SVC (superior venae cava)	
			Cardiovascular \ Bradycardia (bradyarrhythmia)	
			Cardiovascular \ Cardiac dysfunction	
			Cardiovascular \ Cardiac tumour / mass	

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Cardiovascular \ Cardiomegaly	
			Cardiovascular \ Cardiomyopathy - dilated	
			Cardiovascular \ Cardiomyopathy - fetus of diabetic mother	
			Cardiovascular \ Cardiomyopathy - hypertrophic (HOCM)	
			Cardiovascular \ Coarctation of aorta	
			Cardiovascular \ Common atrium	
			Cardiovascular \ Complete Heart Block	
			Cardiovascular \ Incomplete Congenital heart block (CHB)	
			Cardiovascular \ Congenital heart disease	
			Cardiovascular \ Coronary artery fistula	
			Cardiovascular \ Dextrocardia	
			Cardiovascular \ Dilated ascending aorta	
			Cardiovascular \ Diverticulum - LV	
			Cardiovascular \ Diverticulum - RV	
			Cardiovascular \ Double inlet ventricle (DIV)	
			Cardiovascular \ Double outlet ventricle (DOV)	
			Cardiovascular \ Ductus arteriosus - premature closure	
			Cardiovascular \ Ductus arteriosus aneurysm	
			Cardiovascular \ Ductus arteriosus - Patent (PDA)	
			Cardiovascular \ Ductus venosus - agenesis	
			Cardiovascular \ Ebstein anomaly	
			Cardiovascular \ Ectopia cordis	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Cardiovascular \ Endocardial fibroelastosis (EFE)	
			Cardiovascular \ Fibroma - cardiac	
			Cardiovascular \ Hypoplastic left heart syndrome (HLHS)	
			Cardiovascular \ Hypoplastic right heart syndrome (HRHS)	
			Cardiovascular \ Interrupted IVC (superior vena cava)	
			Cardiovascular \ Left atrial isomerism (heterotaxy)	
			Cardiovascular \ Mitral atresia	
			Cardiovascular \ Mitral regurgitation	
			Cardiovascular \ Mitral stenosis	
			Cardiovascular \ Mitral valve dysplasia	
			Cardiovascular \ Partial anomalous pulmonary venous drainage (PAPVD)	
			Cardiovascular \ Pericardial/Paracardial cyst	
			Cardiovascular \ Pericardial effusion	
			Cardiovascular \ Persistent left SVC (superior vena cava)	
			Cardiovascular \ Premature atrial contractions (PAC's)	
			Cardiovascular \ Premature closure of atrial septum (PFO)	
			Cardiovascular \ Premature ventricular contractions (PVC's)	
			Cardiovascular \ Pulmonary (valve) atresia	
			Cardiovascular \ Pulmonary (valve) stenosis (PS)	
			Cardiovascular \ Pulmonary insufficiency	
			Cardiovascular \ Pulmonary valve dysplasia	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Cardiovascular \ Rhabdomyoma(s) - cardiac	
			Cardiovascular \ Right aortic arch	
			Cardiovascular \ Right atrial isomerism (heterotaxy)	
			Cardiovascular \ Scimitar syndrome	
			Cardiovascular \ Shone's syndrome	
			Cardiovascular \ Single outlet ventricle	
			Cardiovascular \ Single ventricle (univentricular heart)	
			Cardiovascular \ Single ventricle / univentricular connection	
			Cardiovascular \ Situs inversus - cardiac	
			Cardiovascular \ Subaortic stenosis	
			Cardiovascular \ Supra ventricular tachycardia (SVT)	
			Cardiovascular \ Tachycardia (tachyarrhythmia)	
			Cardiovascular \ Tetralogy of Fallot (TOF)	
			Cardiovascular \ Total anomalous pulmonary venous drainage (TAPVD)	
			Cardiovascular \ Transposition of great arteries - congenitally corrected (CCTGA)	
			Cardiovascular \ Transposition of great vessels (TGA)	
			Cardiovascular \ Tricuspid atresia	
Cardiovascular \ Tricuspid regurgitation				
Cardiovascular \ Tricuspid stenosis				
Cardiovascular \ Tricuspid valve dysplasia				
Cardiovascular \ Truncus arteriosus				
Cardiovascular \ Vascular ring				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Cardiovascular \ Valvular Anomalies	
			Cardiovascular \ Ventricular disproportion (RV>LV)	
			Cardiovascular \ Ventricular septal defect (VSD)	
			Cardiovascular \ Ventricular tachycardia	
			Cardiovascular \ Other - cardiac malformations not classified elsewhere	
			Cardiovascular \ Other heart abnormalities	
			Abdominal Wall \ Bladder exstrophy	
			Abdominal Wall \ Body stalk anomaly (limb body wall complex)	
			Abdominal Wall \ Cloacal exstrophy	
			Abdominal Wall \ Gastroschisis	
			Abdominal Wall \ Limb body wall complex (body stalk anomaly)	
			Abdominal Wall \ Omphalocele (exomphalos)	
			Abdominal Wall \ Pentalogy of Cantrell	
			Abdominal Wall \ Umbilical hernia	
			Abdominal Wall \ Other - congenital malformations of abdominal wall	
			Gastrointestinal \ Abnormal Esophagus	
			Gastrointestinal \ Abnormal Gallbladder	
			Gastrointestinal \ Abnormal Large Bowel	
			Gastrointestinal \ Abnormal Liver	
			Gastrointestinal \ Abnormal Small Bowel	
			Gastrointestinal \ Abnormal Stomach	
			Gastrointestinal \ Absent gallbladder	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Gastrointestinal \ Absent stomach	
			Gastrointestinal \ Adrenal cyst(s)	
			Gastrointestinal \ Ascites	
			Gastrointestinal \ Asplenia	
			Gastrointestinal \ Atresia small or large intestine	
			Gastrointestinal \ Biliary atresia	
			Gastrointestinal \ Bowel obstruction small or large intestine	
			Gastrointestinal \ Choledochal cyst(s)	
			Gastrointestinal \ Dilated gallbladder	
			Gastrointestinal \ Dilated stomach	
			Gastrointestinal \ Duodenal atresia	
			Gastrointestinal \ Esophageal atresia	
			Gastrointestinal \ Esophageal diverticulum	
			Gastrointestinal \ Hepatomegaly	
			Gastrointestinal \ Hirschsprung's disease	
			Gastrointestinal \ Hyperperistalsis	
			Gastrointestinal \ Imperforate anus	
			Gastrointestinal \ Intra-abdominal cyst(s)	
			Gastrointestinal \ Large bowel obstruction	
			Gastrointestinal \ Liver cyst(s)	
			Gastrointestinal \ Liver nodule	
			Gastrointestinal \ Meconium ileus	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Gastrointestinal \ Meconium peritonitis	
			Gastrointestinal \ Mesenteric cyst	
			Gastrointestinal \ Ovarian cyst(s)	
			Gastrointestinal \ Pancreatic cyst(s)	
			Gastrointestinal \ Perinatal intestinal perforation	
			Gastrointestinal \ Polysplenia	
			Gastrointestinal \ Pyloric stenosis	
			Gastrointestinal \ Situs inversus - abdominal	
			Gastrointestinal \ Small bowel obstruction	
			Gastrointestinal \ Small stomach	
			Gastrointestinal \ Splenomegaly	
			Gastrointestinal \ Stenois small or large intestine	
			Gastrointestinal \ Tracheo-esophageal fistula (TEF)	
			Gastrointestinal \ Other - malformations of the gastro-intestinal tract	
			Genitourinary Tract \ Ambiguous genitalia / indeterminate sex	
			Genitourinary Tract \ Autosomal dominant polycystic kidney disease (ADPKD)	
			Genitourinary Tract \ Autosomal recessive polycystic kidney disease (ARPKD)	
			Genitourinary Tract \ Absent bladder	
			Genitourinary Tract \ Bladder diverticulum	
			Genitourinary Tract \ Bladder exstrophy	
Genitourinary Tract \ Cloacal dysgenesis				
Genitourinary Tract \ Cloacal exstrophy				



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Genitourinary Tract \ Cystic kidney(s) - other	
			Genitourinary Tract \ Duplex kidney/collecting system	
			Genitourinary Tract \ Echogenic kidney(s)	
			Genitourinary Tract \ Ectopic/pelvic kidney	
			Genitourinary Tract \ Hydrocoele	
			Genitourinary Tract \ Hydronephrosis (>10 mm)	
			Genitourinary Tract \ Hyperplastic & giant kidney(s)	
			Genitourinary Tract \ Hypoplastic kidney(s)	
			Genitourinary Tract \ Hypospadias	
			Genitourinary Tract \ Keyhole bladder/urethra	
			Genitourinary Tract \ Keyhole sign	
			Genitourinary Tract \ Lower urinary tract obstruction (LUTO)	
			Genitourinary Tract \ Megacystis	
			Genitourinary Tract \ Megaureter	
			Genitourinary Tract \ Multicystic kidney disease (MCKD)	
			Genitourinary Tract \ Posterior urethral valves (PUV)	
			Genitourinary Tract \ Prune belly	
			Genitourinary Tract \ Pseudohermaphroditism	
			Genitourinary Tract \ Renal agenesis	
			Genitourinary Tract \ Renal cyst	
			Genitourinary Tract \ Renal dysplasia	
			Genitourinary Tract \ Undescended testicle(s)	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Genitourinary Tract \ Ureterocele	
			Genitourinary Tract \ Urethral atresia	
			Genitourinary Tract \ Urethral obstruction malformation complex	
			Genitourinary Tract \ Other - malformations of female genitalia	
			Genitourinary Tract \ Other - malformations of male genitalia	
			Genitourinary Tract \ Other - malformations of urinary system	
			Spine - Back \ Ankylosing spondylitis	
			Spine - Back \ Caudal regression syndrome	
			Spine - Back \ NTD (neural tube defect) with hydrocephalus	
			Spine - Back \ NTD (neural tube defect) without hydrocephalus	
			Spine - Back \ Sacral agenesis	
			Spine - Back \ Sacrococcygeal teratoma (SCT)	
			Spine - Back \ Other - malformations of the spine	
			Extremities-skeletal \ Arms/legs-Bowed femur	
			Extremities-skeletal \ Arms/legs-Bowed humerus	
Extremities-skeletal \ Arms/legs-Bowed radius &/or ulna				
Extremities-skeletal \ Arms/legs-Bowed tibia &/or fibula				
Extremities-skeletal \ Arms/legs-Fracture(s) - long bones				
Extremities-skeletal \ Generalized/other-Akinesia deformation sequence - fetal (FADS)				
Extremities-skeletal \ Generalized/other-Arthrogryposis multiplex congenita				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Extremities-skeletal \ Generalized/other-Congenital malformations of spine & bony thorax	
			Extremities-skeletal \ Generalized/other-Fixed flexion deformity	
			Extremities-skeletal \ Generalized/other-Fracture (s) - ribs	
			Extremities-skeletal \ Generalized/other-Hip Dislocation - congenital	
			Extremities-skeletal \ Generalized/other-Hypomineralization	
			Extremities-skeletal \ Generalized/other-Limb reduction defect(s) (LRD) - lower limb	
			Extremities-skeletal \ Generalized/other-Limb reduction defect(s) (LRD) - upper limb	
			Extremities-skeletal \ Generalized/other-Malformation of sternum	
			Extremities-skeletal \ Generalized/other-Phocomelia	
			Extremities-skeletal \ Generalized/other-Sirenomelia	
			Extremities-skeletal \ Generalized/other-Skeletal dysplasia -other	
			Extremities-skeletal \ Hands/feet-Adactyly (absent fingers/ toes)	
			Extremities-skeletal \ Hands/feet-Brachydactyly (short fingers/toes)	
			Extremities-skeletal \ Hands/feet-Clenched hands (persistently)	
			Extremities-skeletal \ Hands/feet-Clinodactyly (fifth finger)	
			Extremities-skeletal \ Hands/feet-Club foot	
			Extremities-skeletal \ Hands/feet-Ectrodactyly (lobster-claw / cleft hand)	
			Extremities-skeletal \ Hands/feet-Fused toes	
			Extremities-skeletal \ Hands/feet-Overlapping fingers	
			Extremities-skeletal \ Hands/feet-Polydactyly (feet)	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Extremities-skeletal \ Hands/feet-Polydactyly (hands)	
			Extremities-skeletal \ Hands/feet-Radial ray anomaly (absent thumb)	
			Extremities-skeletal \ Hands/feet-Rocker-bottom feet	
			Extremities-skeletal \ Hands/feet-Sandal gap toes	
			Extremities-skeletal \ Hands/feet-Syndactyly (feet)	
			Extremities-skeletal \ Hands/feet-Syndactyly (hands)	
			Extremities-skeletal \ Hands/feet-Webbed fingers	
			Extremities-skeletal \ Hands/feet-Webbed toes	
			Extremities-skeletal \ Micromelia	
			Extremities-skeletal \ Muscle/connective tissue disorders-Duchenne muscular dystrophy (DMD)	
			Extremities-skeletal \ Muscle/connective tissue disorders-Ehlers-Danlos syndrome	
			Extremities-skeletal \ Muscle/connective tissue disorders-Hypotonia	
			Extremities-skeletal \ Muscle/connective tissue disorders-Spinal muscular atrophy (SMA)	
			Extremities-skeletal \ Muscle/connective tissue disorders-Other - malformations of the musculoskeletal system	
			Extremities-skeletal \ Skeletal Dysplasias-Achondrogenesis	
			Extremities-skeletal \ Skeletal Dysplasias-Achondroplasia	
			Extremities-skeletal \ Skeletal Dysplasias-Campomelic dysplasia	
			Extremities-skeletal \ Skeletal Dysplasias-Chondrodysplasia punctata	
			Extremities-skeletal \ Skeletal Dysplasias-Diastrophic dysplasia	
			Extremities-skeletal \ Skeletal Dysplasias-Ellis-van Creveld syndrome	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Extremities-skeletal \ Skeletal Dysplasias-Osteogenesis imperfecta	
			Extremities-skeletal \ Skeletal Dysplasias-Short rib polydactyly syndrome - type VII	
			Extremities-skeletal \ Skeletal Dysplasias-Thanatophoric dysplasia	
			Structural-other \ Amniotic Bands	
			Structural-other \ Hydrops Fetalis	
			Structural-other \ Other - malformations not classified elsewhere	
			Chromosomes \ 45,X (Turner syndrome)	
			Chromosomes \ 47,XXX	
			Chromosomes \ 47,XXY (Klinefelter syndrome)	
			Chromosomes \ 47,XYY	
			Chromosomes \ Array CGH abnormal or other	
			Chromosomes \ Balanced translocation	
			Chromosomes \ Deletion - other	
			Chromosomes \ Di George Syndrome (22 q11 deletion)	
			Chromosomes \ Microdeletion syndrome - other	
			Chromosomes \ Mosaicism	
			Chromosomes \ Paracentric inversion	
			Chromosomes \ Pericentric inversion	
			Chromosomes \ Triploidy /polploidy	
			Chromosomes \ Trisomy - other	
			Chromosomes \ Trisomy 13	
			Chromosomes \ Trisomy 18	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Chromosomes \ Trisomy 21 (Down syndrome)	
			Chromosomes \ Trisomy 21 (Down syndrome) - mosaic	
			Chromosomes \ Trisomy 21 (Down syndrome) - translocation	
			Chromosomes \ Unbalanced translocation	
			Chromosomes \ Other	
			Congenital Infections \ CMV (cytomegalovirus) infection - congenital	
			Congenital Infections \ Enterovirus infections	
			Congenital Infections \ Herpes simplex virus (HSV) infection - congenital	
			Congenital Infections \ HIV	
			Congenital Infections \ Rubella syndrome - congenital	
			Congenital Infections \ Toxoplasmosis	
			Congenital Infections \ Tuberculosis (TB) - congenital	
			Congenital Infections \ Varicella-zoster virus	
			Congenital Infections \ Other - infections	
			Teratogenic Exposures \ Diabetic Embryopathy	
			Teratogenic Exposures \ Etretinate embryopathy	
			Teratogenic Exposures \ Fetal alcohol syndrome	
			Teratogenic Exposures \ Fetal aminopterin/methotrexate syndrome	
			Teratogenic Exposures \ Fetal hydantoin syndrome	
			Teratogenic Exposures \ Fetal valproate syndrome	
			Teratogenic Exposures \ Isotretinoin teratogen syndrome	

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Teratogenic Exposures \ Maternal Phenylketonuria	
			Teratogenic Exposures \ Retinoic acid embryopathy	
			Teratogenic Exposures \ Rhesus Disease	
			Teratogenic Exposures \ Thalidomide embryopathy	
			Teratogenic Exposures \ Toluene embryopathy	
			Teratogenic Exposures \ Vitamin A teratogenicity	
			Teratogenic Exposures \ Warfarin dysmorphism	
			Teratogenic Exposures \ Other -teratogenic embryopathy	
			Teratogenic Exposures \ Other-antiepileptic embryopathy	
			Twins \ Acardiac twin	
			Twins \ Conjoined twins	
			Twins \ Dichorionic (DC) twins	
			Twins \ Discordant DC twin growth	
			Twins \ Discordant MC twin growth	
			Twins \ Discordant twin anomaly	
			Twins \ Mono-amniotic (MA) twins	
			Twins \ Monochorionic diamniotic (MC/DA) twins	
			Twins \ Twin-twin transfusion syndrome (TTTS)	
			Twins \ Other - malformations of twins	
			Syndromes \ Aarskogs Syndrome	
			Syndromes \ Achondrogenesis	
			Syndromes \ Achondroplasia	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Acroesomelic Dysplasia	
			Syndromes \ Acrofacial Dysostosis	
			Syndromes \ Adrenal Hyperplasia	
			Syndromes \ Alpha-1-Antitrypsin	
			Syndromes \ Alports Syndrome	
			Syndromes \ Amyloplasia Congenita	
			Syndromes \ Angelmans Syndrome	
			Syndromes \ Anophthalmia	
			Syndromes \ Aqueductal stenosis - X linked (L1 syndrome)	
			Syndromes \ Arthrogryposis Multiplex Congenitia	
			Syndromes \ Ataxia-telangiectasis	
			Syndromes \ Autosomal dominant polycystic kidney disease	
			Syndromes \ Autosomal Recessive Polycystic Kidney Disease	
			Syndromes \ Beckwith-Wiedemann	
			Syndromes \ Biotinidase deficiency (BIOT)	
			Syndromes \ CADASIL	
			Syndromes \ Congenital Adrenal Hyperplasia (CAH)	
			Syndromes \ Camptomelic dysplaia	
			Syndromes \ Carnitine uptake defect (CUD)	
			Syndromes \ Caudal regression syndrome	
			Syndromes \ Cerebral Palsy	
			Syndromes \ Charcot-Marie-Tooth	



**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ CHARGE association	
			Syndromes \ Chronrodysplasia Punctata	
			Syndromes \ Cleidocranial Dysplasia	
			Syndromes \ Coffin-Lowry syndrome	
			Syndromes \ Congenital hypothyroidism (HYPOTH)	
			Syndromes \ Congenital Myotonic Dystrophy	
			Syndromes \ Congenital Nephrotic Syndrome	
			Syndromes \ Cornelia Delange	
			Syndromes \ CPS (Carbamyl Phosphate Deficiency)	
			Syndromes \ Craniosynostosis Saethre-Crouzon	
			Syndromes \ Cri-du-Chat Syndrome	
			Syndromes \ Crouzon's syndrome	
			Syndromes \ Cryptophthalmus	
			Syndromes \ Cystic Fibrosis	
			Syndromes \ Dandy-walker syndrome	
			Syndromes \ Dextrocardia	
			Syndromes \ Diastrophic dysplasia	
			Syndromes \ Digeorge Syndrome	
			Syndromes \ Dysautonomia - familial	
			Syndromes \ Ectodermal Dysplasia	
			Syndromes \ Ehlers-Danlos syndrome	
			Syndromes \ Ellis Van Creveld Syndrome	

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Epidermolysis Bullosa	
			Syndromes \ F-HYPDRR Familial hypophosphatemia	
			Syndromes \ Fabry's Disease	
			Syndromes \ Factor V	
			Syndromes \ Fanconi Anemia	
			Syndromes \ Fragile X Syndrome	
			Syndromes \ Fraser Syndrome - cryptophthalmos syndrome	
			Syndromes \ Freeman-Sheldon Syndrome	
			Syndromes \ Friederichs Ataxia	
			Syndromes \ Frontonasal dysplasia	
			Syndromes \ FSHD (Fascioscapulohumeral Muscular Dystrophy)	
			Syndromes \ Galactosemia (GALT)	
			Syndromes \ Gaucher	
			Syndromes \ Gilbert's disease	
			Syndromes \ Glucose-6-phosphate dehydrogenase (G6PD)	
			Syndromes \ Glutaric acidemia type I (GA I)	
			Syndromes \ Goldenhar Syndrome	
			Syndromes \ Gorlin Syndrome	
			Syndromes \ GSD (Glycogen Storage Disease)	
			Syndromes \ Hard +/- e syndrome	
			Syndromes \ Harlequin Ichthyosis	
			Syndromes \ Hemi-hypertrophy	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Hemophilia A/ B	
			Syndromes \ Hereditary nephritis	
			Syndromes \ Hereditary Hemorrhagic Telangiectasia (HHT)	
			Syndromes \ Hereditary Multiple Exostoses (HME)	
			Syndromes \ Holt-Oram	
			Syndromes \ Homocystinosis	
			Syndromes \ Homocystinuria (HCY)	
			Syndromes \ Hunter Syndrome	
			Syndromes \ Hurlers Syndrome	
			Syndromes \ Hydrocephalus X-Linked	
			Syndromes \ Hydrolethalus	
			Syndromes \ Hypochondroplasia	
			Syndromes \ Hypoglycemia	
			Syndromes \ Hypophosphatasia	
			Syndromes \ Ichthyosis (non X-linked)	
			Syndromes \ Ichthyosis X-linked (STS deficiency)	
			Syndromes \ Idiopathic hypoparathyroidism	
			Syndromes \ Incontinentia Pigmenti	
			Syndromes \ Isovaleric academia (IVA)	
			Syndromes \ Ivemark Syndrome	
			Syndromes \ Joubert Syndrome	
			Syndromes \ Klippel-Trenaunay Syndrome	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Krabbe	
			Syndromes \ Larsen Syndrome	
			Syndromes \ LCHAD	
			Syndromes \ Leigh's Syndrome	
			Syndromes \ Lesch Nyhan	
			Syndromes \ Limb-Girdle Muscular Dystrophy	
			Syndromes \ Long Q-T Syndrome	
			Syndromes \ Lysosomal Storage Disease (IEM)	
			Syndromes \ Machado-Joseph Disease	
			Syndromes \ Maple syrup urine disease (MSUD)	
			Syndromes \ Marfan syndrome	
			Syndromes \ McKusick-Koffman Syndrome	
			Syndromes \ Meckel-Gruber syndrome	
			Syndromes \ Medium chain acyl-CoA dehydrogenase deficiency (MCAD)	
			Syndromes \ MELAS	
			Syndromes \ Menkes	
			Syndromes \ MERFF	
			Syndromes \ Metachromatic Leukodystrophy	
			Syndromes \ Methylene tetrahydrofolate Reductase Deficiency	
			Syndromes \ Methylmalonic Acidemia	
			Syndromes \ Methylmalonic acidemia (Cbl A and B)	
			Syndromes \ Methylmalonic acidemia (mutase deficiency) (MUT)	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Miller-Dieker Syndrome	
			Syndromes \ Morquio Syndrome	
			Syndromes \ MPS (Mucopolysaccharidosis)	
			Syndromes \ Multiple carboxylase deficiency (MCD)	
			Syndromes \ Multiple Congenital Anomalies (Unknown Origin)	
			Syndromes \ Multiple pterygium syndrome	
			Syndromes \ Myotonic Dystrophy	
			Syndromes \ Nail-Patella Syndrome	
			Syndromes \ Neurofibromatosis 1	
			Syndromes \ Neurofibromatosis 2	
			Syndromes \ Nieman-Pick	
			Syndromes \ Noonan Syndrome	
			Syndromes \ OculodentodiGastrointestinalal Syndrome	
			Syndromes \ Opitz Syndrome	
			Syndromes \ Oromandibular Limb Hypogenesis	
			Syndromes \ Osteogenesis Imperfecta	
			Syndromes \ OTC Deficiency	
			Syndromes \ Otosclerosis	
			Syndromes \ Pallister-Hall Syndrome	
			Syndromes \ Pelizaeus-merzbacher-like disease	
			Syndromes \ Peters' anomaly (brachymesomelia)	
			Syndromes \ Peutz-Jeghers Syndrome	

**Encounter: NICU/SCN**

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Pfeiffer Syndrome	
			Syndromes \ Pick's Disease	
			Syndromes \ Pierre Robin	
			Syndromes \ PKU	
			Syndromes \ Poland Sequence Syndrome	
			Syndromes \ Pompe's disease	
			Syndromes \ Porphyria	
			Syndromes \ Potter's Syndrome	
			Syndromes \ Prader Willi	
			Syndromes \ Progeria	
			Syndromes \ Progressive Spinobulbar muscular atrophy	
			Syndromes \ Propionic acidemia (PROP)	
			Syndromes \ Protein C deficiency	
			Syndromes \ Proteus Syndrome	
			Syndromes \ Prune belly syndrome	
			Syndromes \ Pyruvate Carboxylase Deficiency	
			Syndromes \ Pyruvate Dehydrogenase Deficiency	
			Syndromes \ Renal Adysplasia	
			Syndromes \ Restrictive Dermopathy	
			Syndromes \ Retinis Pigmentosa	
			Syndromes \ Retinoblastoma	
			Syndromes \ Rubenstein-Taybi Syndrome	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Russell-Silver Syndrome	
			Syndromes \ Short rib polydactyly syndrome - type VII	
			Syndromes \ Short-rib-Polydactyly Syndrome	
			Syndromes \ Sialidosis	
			Syndromes \ Sickle Cell Anemia	
			Syndromes \ Situs Ambiguous	
			Syndromes \ Sjogren syndrome	
			Syndromes \ Smith-Lemli-Opitz	
			Syndromes \ Smith-Magenis Syndrome	
			Syndromes \ Sotos Syndrome	
			Syndromes \ Spinal Muscular Atrophy	
			Syndromes \ Stickler Syndrome	
			Syndromes \ Sturge-Weber Syndrome	
			Syndromes \ Syndrome not otherwise specified	
			Syndromes \ TAR (thrombocytopenia-absent radius) syndrome	
			Syndromes \ Tay-Sachs - gm2-gangliosidosis type 1	
			Syndromes \ Thalassemia-alpha	
			Syndromes \ Thalassemia-beta	
			Syndromes \ Thanatrophic dysplasia	
			Syndromes \ Treacher Collins syndrome	
			Syndromes \ Tuberous Sclerosis	
			Syndromes \ Tumours (Sacrococcygeal Teratoma - Paragangliomata)	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Congenital Anomalies Suspected	D0024	Identify all suspected congenital anomalies. If a suspected congenital anomaly is later confirmed as not present, it should remain as suspected. Then None or any other confirmed anomalies should be entered in Congenital Anomalies Confirmed.	Syndromes \ Tyrosinemia type I (TYR I)	
			Syndromes \ VATER syndrome	
			Syndromes \ Very long-chain acyl-CoA dehydrogenase deficiency (VLCAD)	
			Syndromes \ Von Willibrand Disease	
			Syndromes \ Waardenberg Syndrome	
			Syndromes \ Walker-Warburg Syndrome	
			Syndromes \ Williams syndrome (idiopathic hypercalcaemia)	
			Syndromes \ Wilson Disease	
			Syndromes \ Wolf-hirschhorn syndrome	
			Syndromes \ Xeroderma Pigmentosum	
			Syndromes \ Zellweger (cerebro-hepato-renal) syndrome	
			Unknown	More information is needed and/or there is no documentation to indicate whether or not any congenital anomalies are suspected or confirmed.
			Newborn Drug Screen	N0027
			Blood	
			Hair	
			Meconium	
			Urine	
			Unknown	
Newborn Drug Screen Results	N0028	Indicate result of newborn drug screening	Negative	
			Positive	
			Pending	



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Drug Screen Results	N0028	Indicate result of newborn drug screening	Inconclusive	
			Unknown	
Newborn Hearing Screen Result	N0026	The result of the Auditory Brainstem Response (ABR) or Distortion Product Otoacoustic Emission (DPOAE) newborn hearing screen test done during the hospital stay	Pass	
			Referral	
			Inconclusive/no result	
			Not done	
			Unknown	
Newborn Resuscitation (first 30 minutes of life only)	N0023	Indicate all methods used for neonatal resuscitation in your unit for this encounter.	None	
			FF02	Free flow oxygen
			CPAP + Air	Continuous positive airway pressure plus room air
			CPAP + O2	Continuous positive airway pressure plus oxygen
			CPAP (CNN only)	
			PPV + Air	Positive pressure ventilation plus room air
			PPV + O2	Positive pressure ventilaition plus oxygen
			PPV (CNN only)	
			Laryngeal mask airway (LMA)	
			Intubation for tracheal suction	
			Intubation for PPV	
			Chest compression	
			Epinephrine	
			Narcan/naloxone	
Volume Expander				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Newborn Resuscitation (first 30 minutes of life only)	N0023	Indicate all methods used for neonatal resuscitation in your unit for this encounter.	Unknown	
NICU Admit Date	D0137	Indicate day/month/year when neonate admitted to NICU/SCN		
NICU Admit Time	D0138	Indicate time (24 hour clock) when neonate admitted to NICU/SCN		
NICU Discharge Date	D0139	Indicate day/month/year when neonate discharged from NICU/SCN		
NICU Discharge Time	D0140	Indicate time (24 hour clock) when neonate discharged from NICU/SCN		
NICU/SCN Type	N0209	Indicates whether it is NICU or SCN	NICU (Level3)	
			SCN (Level 2)	
Non- invasive ventilation days	N0046-1	Indicate the total number of days the neonate received Non Invasive Ventilation, (e.g. NCPAP, SiPAP) in your NICU or SCN for this encounter only, with or without oxygen. When the infant receives full day(s) of ventilation support enter the whole number(s). If ventilation support is less than 24 hours, the percentage of the day needs to be calculated by dividing the number of hours by 24. Eight hours = $8/24 = .33$ . This value can not be greater than LOS.		
Nutritional Support in Hospital	N0219	Indicate only the type(s) of nutritional support provided in your unit during this NICU/SCN encounter.	None	
			Breast Milk	
			Donor Milk	
			Formula	
			Human Milk Fortifier	
			NPO	
			Other Additives	
			Study Milk	
			TPN	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Nutritional Support in Hospital	N0219	Indicate only the type(s) of nutritional support provided in your unit during this NICU/SCN encounter.	Unknown	
Oxygen Therapy Days	N0048	Indicate the total number of days the neonate received oxygen therapy in your NICU or SCN for this encounter only. When the infant receives full day(s) of oxygen enter the whole number(s). If oxygen therapy is less than 24 hours, the percentage of the day needs to be calculated by dividing the number of hours by 24. Eight hours = 8/24 = .33. This value can not be greater than LOS.		
Pain relief measures during first blood sampling by heel prick	N0203	Pain relief measures during first blood sampling by heel prick	Breastfeeding	
			Skin to Skin	
			Sucrose	
			Other	
			No pain relief measures	
			No heel prick sampling	
		Unknown if pain relief was provided		
Percent weight loss/gain - Infant	N0122	Calculation of newborn percentage of weight loss/gain at the time of discharge		
PO2 (mmHg)	D0096	Neonates PO2 value at the 12 hours after initiation of NICU/SCN Care - to calculate SNAPII Score		
Postnatal PRBC Transfusion Date	D0075	Date the infant had a packed red blood cell transfusion as recorded on NSO requisition		
Postnatal PRBC Transfusion Time	D0075T	The time that the postnatal PRBC transfusion was performed. If there were multiple transfusions performed, enter the time of the most recent.		
Postpartum Breastfeeding Education & Support	N0068	Postpartum Breastfeeding Education & Support		
Reason for admission to NICU/SCN	N0140	Indicate the primary reason for an NICU admission	Acute Care	
			Border	
			Hypoglycemia	

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Reason for admission to NICU/SCN	N0140	Indicate the primary reason for an NICU admission	Observation	
			Other Neonatal Health Problem	
			Palliative Care	
			Prematurity	
			Unknown	
Reason for Breast Milk Substitute in Hospital	N0220	Indicates the reason why newborn received any breast milk substitution while in hospital. NOT at discharge from hospital. Breast milk substitute refers to any food used as a partial or total replacement for human (mother's or donor) breast milk.	Infant Medical \ Hypoglycemia	
			Infant Medical \ Inadequate Weight Gain	
			Infant Medical \ Inborn Errors of Metabolism	
			Infant Medical \ Significant weight loss in the presence of clinical indications	
			Infant Medical \ Other clinical indications	
			Maternal Medical \ Active herpes on breast	
			Maternal Medical \ Additional Health Concerns	
			Maternal Medical \ Contraindicated maternal medication	
			Maternal Medical \ HIV infection	
			Maternal Medical \ Severe maternal illness	Mothers who are severely ill and unable to care for their infant.
			Donor milk not available	
			Informed Parent Decision to use any Breast Milk Substitute	
			Insufficient maternal milk supply	
Birth mother not involved in care	For example, adoption, apprehension or surrogacy.			
Not eligible for donor milk				
		Unknown		

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Reason for Neonatal Transfer	N0039	Indicates the primary reason why a newborn was transferred to a NICU/SCN.	Repatriation	
			Bed needed for sicker baby	
			Condition improved	If baby was palliative but then improved; other instances?
			Lack of physician coverage	
			Lack of RN coverage	
			No bed available	
			Keeping baby and mother together	
			Care closer to home	
			Other	
			Unknown	
Reasons why breastfeeding education and support was not provided	N0070	Reasons why breastfeeding education and support was not provided	Not applicable	
			Early discharge home within 2 hours	
			Mother/Parent Declined	
			Other	
Unknown				
Respiratory Support in Hospital	N0217	Type(s) of respiratory support provided in your unit for this NICU/SCN encounter.	Invasive High Frequency Ventilation	
			Intermittent Positive Pressure Ventilation	
			Non-Invasive Ventilation	
			Oxygen	
			Other	
Nitric Oxide	Nitric Oxide is only active and selectable in Respiratory Support in Hospital data element.			
None				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Respiratory Support in Hospital	N0217	Type(s) of respiratory support provided in your unit for this NICU/SCN encounter.	Unknown	
ROP Eye Screening Type	N0221	ROP Eye Screening Type	Physical exam	
			RetCam	
			Unknown	
ROP Screening	D0104	Indicate whether Retinopathy Of Prematurity (ROP) Screening initiated as per protocol		
ROP Treatment	N0223	ROP Treatment	None	
			Left eye - Cryotherapy	
			Left eye - Laser Therapy	
			Left eye - Anti VEGF injections	
			Left eye - Other eye surgery	
			Right eye -Cryotherapy	
			Right eye -Laser Therapy	
			Right eye - Anti VEGF injections	
			Right eye - Other eye surgery	
			Both eyes - Cryotherapy	
			Both eyes - Laser Therapy	
			Both eyes - Anti VEGF injections	
			Both eyes - Other eye surgery	
			Unknown	
ROP worst stage left eye	N0222LFT	ROP worst stage left eye	None	
			I	
			II	

**Encounter: NICU/SCN**

<b>Data Element Name</b>	<b>BORN ID</b>	<b>Data Element Definition</b>	<b>Pick List Value</b>	<b>Pick List Definition</b>
ROP worst stage left eye	N0222LFT	ROP worst stage left eye	III	
			IV	
			V	
			Immature	
			Unknown	
ROP worst stage right eye	N0222RHT	ROP worst stage right eye	None	
			I	
			II	
			III	
			IV	
			V	
			Immature	
Unknown				
RSV Prophylaxis Administered	N0225	Indicates whether RSV prophylaxis was administered		
RSV Prophylaxis Criteria	N0224	RSV Prophylaxis Criteria	Infant < =32 6/7 weeks and less than or equal to 6 months at the start of RSV season	
			RSV Risk Assessment Tool score > 49 for infants 33 0/7 to 35 6/7	
			Confirmed Downs syndrome	
			Confirmed Bronchopulmonary dysplasia	
			Confirmed hemodynamically significant congenital heart disease	
			Special Consideration with physician letter and medical justification	
Birth Sibling qualifies				
Unknown				

## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Site Of NICU/SCN admission	D0136	Hospital where neonate was admitted to Neonatal Intensive Care Unit or Special Care Nursery		
Time of Birth Unknown	N0006UNK	Time of Birth Unknown		
Transport Personnel (Discharge)	N0123	Identify the personnel who accompanied the neonate during transport to another hospital/site	Transport team (1 of 4 Provincial Teams)	
			Physician	
			Registered Nurse	
			Registered Respiratory Therapist	
			Paramedic	
			Registered Midwife	
			Clinical Nurse Specialist/Nurse Practitioner	
			Other	
Transport Personnel In (Admission)	N0212	Identify the personnel who accompanied the neonate during transport from another hospital/site	Transport team (1 of 4 Provincial Teams)	
			Physician	
			Registered Nurse	
			Registered Respiratory Therapist	
			Paramedic	
			Registered Midwife	
			Clinical Nurse Specialist/Nurse Practitioner	
			Other	
Type of postpartum breastfeeding education and support provided	N0069	Type of postpartum breastfeeding education and support provided	Provided information/support \ Hand expression	
			Provided information/support \ Pumping	



## Encounter: NICU/SCN

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Type of postpartum breastfeeding education and support provided	N0069	Type of postpartum breastfeeding education and support provided	Provided information/support \ Skin-to-skin	
			Provided information/support \ Signs of effective latch	
			Provided information/support \ Continuation of breastfeeding after discharge	
			Provided information/support \ Sustained breastfeeding if separated from baby	
			Provided information/support \ Community breastfeeding resources	
			Provided assistance with breastfeeding	
			Consult with a lactation consultant	
			Referred mother to breastfeeding support services for follow-up	
Venous cord blood base excess / deficit	FAN0100	Indicate results of venous umbilical cord blood sampling indicating base excess or deficit reported by birth hospital		
Venous cord blood pH	FAN0101	Indicate results of venous umbilical cord blood pH as reported by birth hospital. If results include '<' enter the next lowest value to one decimal place.		
Venous cord blood test status	Y0030	Indicate venous umbilical cord blood test status	Done	
			Not Done	
			Unsatisfactory Specimen	