

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Admission to Birth Duration	M0080	The Admission to Birth Duration: Length of Stay in hospital (in hours) from Maternal Admission date/time to date/time of Birth. This is a calculated field.		
Alcohol Exposure in Pregnancy	D0012	Self-reported alcohol consumption during pregnancy. A standardized serving of alcohol beverage is approx a 12oz serving of regular beer (5%), a 5oz glass of wine (12%) or a 1.5oz glass of 40% spirit (SOGC, 2010). If the amount of drinking varied over the course of the pregnancy, estimate the total number of drinks and average it out over the entire pregnancy. Select the one that represents the highest exposure or impact. 'Episodic excessive drinking (binging)' is considered the greatest impact.	None	
			Less than one drink per month	
			One drink per month	
			2-3 drinks per month	
			One drink per week	
			More than one drink per week	
			Episodic excessive drinking (binging)	Binge drinking corresponds to an average-size female consuming 4 or more drinks in about 2 hours (SOGC, 2010). If mother reported drinking 'More than one drink per week' and binge drinking, select 'Episodic excessive drinking (binging)'.
			Exposure prior to pregnancy confirmed, amount unknown	Select if mother drank in first trimester and/or until she learned of her pregnancy.
			Unknown	
All Indications for Cesarean Section	D0040	Indicate all medical and non-medical indications for caesarean section.	Fetal \ Anomaly(ies)	
			Fetal \ Atypical or Abnormal Fetal Surveillance	Atypical or abnormal fetal surveillance. Includes fetal wellbeing concerns.
			Fetal \ Cord prolapse	
			Fetal \ Intrauterine Growth Restriction	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
All Indications for Cesarean Section	D0040	Indicate all medical and non-medical indications for caesarean section.	Fetal \ Macrosomia	
			Fetal \ Malposition/Malpresentation	
			Maternal \ Failed forceps / vacuum	
			Maternal \ Failed Induction	
			Maternal \ Gestational hypertension	
			Maternal \ HIV – Human Immunodeficiency Virus	
			Maternal \ HSV - Herpes Simplex Virus	
			Maternal \ Hypertensive disorders of pregnancy - Eclampsia	
			Maternal \ Hypertensive disorders of pregnancy - HELLP	
			Maternal \ Hypertensive disorders of pregnancy - Preeclampsia	
			Maternal \ Maternal Health Condition(s)	
			Maternal \ Multiple gestation	
			Maternal \ Nonprogressive first stage of labour	
			Maternal \ Nonprogressive second stage of labour	
			Maternal \ Obesity	
			Maternal \ Other Obstetrical Complication	
			Maternal \ Placenta Increta/Accreta/Percreta	
			Maternal \ Placenta previa	
			Maternal \ Placental abruption	
			Maternal \ Prelabour Rupture of Membranes (PROM) in women with planned C/Section	Rupture of membranes at or greater than 37 weeks and 0 days GA prior to the onset of labour.
Maternal \ Preterm prelabour rupture of membranes (PPROM) in women with planned C/Section	Rupture of membranes before 37 weeks and 0 days GA prior to labour.			
Maternal \ Previous C/Section				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
All Indications for Cesarean Section	D0040	Indicate all medical and non-medical indications for caesarean section.	Maternal \ Previous T incision/classical incision/uterine surgery	
			Maternal \ Previous uterine rupture	
			Maternal \ Suspected chorioamnionitis	
			Maternal \ Uterine rupture	
			Maternal \ VBAC - Declined VBAC	
			Maternal \ VBAC - Failed attempt	
			Maternal \ VBAC - Not eligible	
			Other \ Accommodates Care Provider/Organization	
			Other \ Maternal Request	
			Unknown	
Fetal \ Other Fetal Indication				
All Indications for Induction of Labour	D0039	All indications for induction of labour. Induction refers to the initiation of labour.	Fetal \ Atypical or Abnormal Fetal Surveillance	
			Fetal \ Fetal anomaly/ies	
			Fetal \ Fetal demise	
			Fetal \ Isoimmunization/Alloimmunization	
			Fetal \ Intrauterine Growth Restriction	
			Fetal \ Macrosomia	
			Fetal \ Multiple gestation	
			Fetal \ Other Fetal Complication	
			Fetal \ Post dates	
			Fetal \ Termination of Pregnancy	
Maternal \ Diabetes				
Maternal \ History of precipitous delivery				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
All Indications for Induction of Labour	D0039	All indications for induction of labour. Induction refers to the initiation of labour.	Maternal \ Oligohydramnios	
			Maternal \ Other Obstetrical Complications/Concerns	
			Maternal \ Polyhydramnios	
			Maternal \ Preeclampsia/Hypertension	
			Maternal \ Pre-existing maternal medical conditions	
			Maternal \ Prelabour rupture of membranes (PROM)	Rupture of membranes at or greater than 37 weeks and 0 days GA prior to the onset of labour.
			Maternal \ Preterm prelabour rupture of membranes (PPROM)	Rupture of membranes before 37 weeks and 0 days GA prior to labour.
			Other \ Accommodates Care Provider/Organization	
			Other \ Distance from birth hospital/Safety precaution	
			Other \ Maternal Request	
			Unknown	
Anesthesia for Cesarean Section	D0042	Indicate all types of anesthesia used during cesarean section. Select all that apply.	Epidural	
			Spinal	
			General	
			Unknown	
Antenatal Steroids	M513	Indication that corticosteroid medication was administered between 24-34 weeks gestation to mother at risk of preterm birth	None	
			1 dose < 24 hours (before the time of birth)	1 dose= 1 dose of 12mg or 2 doses of 6 mg. Future goal to SMEs: partial dose, < 24 hours
			2 doses: Last Dose < 24 hours (before the birth)	
			2 doses: Last Dose > 24 hours (from the time of the last dose to the time of birth)	
			Unknown	
Augmentation	M0505	Interventions used to improve the quality and effectiveness when labour start is spontaneous	None	Select if none of the available pick list options apply. For example, nonmedical options.

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Augmentation	M0505	Interventions used to improve the quality and effectiveness when labour start is spontaneous	Prostaglandin	
			Amniotomy	
			Oxytocin	
			Unknown	
Barrier to maternal transfer	R0053	Indicate all barriers to Maternal transfer. Barrier to maternal transfer is a conditional field that is visible and required when a baby less than or equal to 31 weeks and 0 days, and is born at a level 1 or level 2 hospital.	None	
			Birth prior to admission to hospital	
			Inclement weather or environmental barrier	
			No Bed at Higher level of care	
			Transfer not attempted	
			Transport services not available	
			Unsafe to transfer	
			Unknown	
Birth Hospital	Y02091	The name of the hospital where the birth occurred if Birth Location =hospital. Includes all Ontario hospitals with and without birthing units and some out of province and out of country hospitals.		
Birth Location	N0005	The location where the birth occurred (hospital, home, other)	Hospital	
			Home	
			Nursing Station	Primary health care facilities on First Nation reserves.
			Other Ontario location	
			Outside of Ontario	
Birth Order	R0038	Indicates the birth order of each baby (Twin A= first born, Twin B=second born), irrespective of live birth or still birth.	A	
			B	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Birth Order	R0038	Indicates the birth order of each baby (Twin A= first born, Twin B=second born), irrespective of live birth or still birth.	C	
			D	
			E	
			F	
			G	
			H	
			I	
			J	
			Unknown	
			Bishop Score	D0047
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
Unknown				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Cervical Ripening Prior to Induction	D0048	Indicate interventions used to ripen cervix for labour prior to induction. Select all that apply.	None	
			Balloon/Mechanical Method (i.e. Foley Catheter)	
			Laminaria/artificial tent	
			Prostaglandin	
			Unknown	
Complications of Pregnancy	M0531	Pregnancy related complications experienced during this pregnancy. Select all that apply.	None	
			Fetal \ Anomaly(ies)	
			Fetal \ Isoimmunization/Alloimmunization	
			Fetal \ Intrauterine Growth Restriction	
			Fetal \ LGA	
			Fetal \ Oligohydramnios	
			Fetal \ Polyhydramnios	
			Fetal \ Other	
			Maternal \ Anemia unresponsive to therapy	
			Maternal \ Antepartum Bleeding (Persistent and unexplained)	
			Maternal \ Gestational diabetes	
			Maternal \ Hyperemesis Gravidarum (Requiring Hospital Admission)	
			Maternal \ Hypertensive Disorders in Pregnancy	
			Maternal \ Prelabour rupture of membranes (PROM)	
Maternal \ Preterm labour prior to this admission				
			Maternal \ Preterm prelabour rupture of membranes (PPROM)	
			Maternal \ Other	
			Placental \ Placenta accreta	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Complications of Pregnancy	M0531	Pregnancy related complications experienced during this pregnancy. Select all that apply.	Placental \ Placenta increta	
			Placental \ Placenta percreta	
			Placental \ Placenta previa	
			Placental \ Placental Abruption	
			Placental \ Other	
			Unknown	
Components of third stage management employed: (unrelated to corrective measures for bleeding)	MW0124	Components of third stage management employed: (unrelated to corrective measures for bleeding)	Prophylactic oxytocic	Administration of a uterotonic agent before placental separation, just before, with, or immediately after birth of the baby
			Early cord clamping	Prior to, alongside, or immediately after administration of an oxytocic
			Controlled cord traction	Controlled cord traction (as opposed to by gravity and/or maternal effort)
			Breastfeeding	
			None	
			Unknown	
Date Fully Dilated	M0524D	The date (day, month, year) at complete cervical dilation (dilatation). To be completed with the Time Fully Dilated data element.		
Date Started Pushing	M0525D	The date (day, month, year) when mother initiates pushing. To be completed with Time Started ushing		
Diabetes and Pregnancy	D0013	Indicate Maternal diabetic status during this pregnancy	None	
			Gestational diabetes \ Insulin	
			Gestational diabetes \ No Insulin	
			Gestational diabetes \ Insulin Status Unknown	
			Type I	
			Type II \ Insulin	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Diabetes and Pregnancy	D0013	Indicate Maternal diabetic status during this pregnancy	Type II \ No Insulin	
			Type Unknown	
			Unknown	
Drug and Substance Exposure in Pregnancy	D0014	Indicate Maternal self-reported drug and substance use during pregnancy. This refers to the use of street drugs and the inappropriate use of prescription and non-prescription drugs.	None	
			Cocaine	Street names include: snow, powder lines, freebase, c, dust, crack, rock, coke, flake, blow.
			Gas/Glue	
			Hallucinogens	Types of hallucinogens include: LSD, mescaline, psilocybin, PCP, cannabis, ecstasy, ketamine, salvia and others.
			Marijuana	
			Opioids	A type of drug used to relieve pain. Examples include: morphine, codeine, fentanyl, oxycodone, heroin, and hydromorphone.
			Other	For example, crystal meth
	Unknown			
EDB Determined By	NEW0005	Method by which the estimated date of birth was determined for prenatal screening	Last menstrual period	
			1st trimester dating ultrasound	
			2nd trimester ultrasound	
			Assisted reproductive technology	
			Obstetrical clinical estimate (includes S-F height)	
			Unknown	
Episiotomy	M0512	Indication whether episiotomy was performed and type of incision.	None	
			Medio-lateral	
			Midline	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Episiotomy	M0512	Indication whether episiotomy was performed and type of incision.	Unknown	
Estimated Date of Birth (EDB)	F0001	Best estimate of date of birth determined by ultrasound or mathematical calculation using Nägele's rule. Same as EDC and EDD. EDB is the preferred term.		
Fetal Surveillance	M0059	Indicate all fetal surveillance methods that were used at anytime during this admission (including admission EFM strips)	Admission EFM strip	
			Auscultation	
			Intrapartum EFM (external)	
			Intrapartum EFM (internal)	
			No Monitoring	
			Unknown	
Fetus ID	PS0011	Fetal ID of a multiple pregnancy	Fetus A	
			Fetus B	
			Fetus C	
			Fetus D	
			Fetus E	
			Fetus F	
			Fetus G	
			Fetus H	
			Fetus I	
			Fetus J	
First Trimester Visit	M0046	Indication that mother had a prenatal care visit with a regulated health care provider during the first trimester (<13 weeks and 0 days gestation of pregnancy) of the current pregnancy.		
Folic Acid	D0020	Maternal use of folic acid prior to and during pregnancy	None	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Folic Acid	D0020	Maternal use of folic acid prior to and during pregnancy	Pre-conception only	
			During pregnancy only	
			Preconception and during pregnancy	
			Unknown	
Forceps/Vacuum	M0538	Indicate use of Forceps and/or Vacuum to assist birth	None	
			Vacuum	
			Forceps	Use of forceps (one or two blades) to assist with birth.
			Vacuum and Forceps	Use of vacuum extraction and forceps (one or two blades) to assist with birth.
			Unknown	
GBS Screening Date	M0700	The date that GBS Screening test was done. Enter for the most recent GBS Screening Date, i.e. the one closest to the date of birth. Optional if Group B Strep Screening Results=Done.		
GBS Screening Not Done Reason	M0701	Reason why Group B Screening was not done. Mandatory if Group B Strep Screening Results = Not Done.	Previous baby with GBS disease	
			Previous GBS screening done in this pregnancy	
			Urine positive for GBS	
			Declined screening	
			Other	
Generic Comment	D0021	Hospital specific comment		
Gestational Age at Birth (weeks+days; calculated using EDB and DOB)	N0014	The infant's gestational age at the time of birth derived using EDB and DOB in weeks and days. For NSO, gestational age is what is indicated on the newborn screening requisition		
Gravida (G)	M0030	Indicates number of pregnancies the women has experienced, including current pregnancy	1	
			2	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition		
Gravida (G)	M0030	Indicates number of pregnancies the women has experienced, including current pregnancy	3			
			4			
			5			
			6			
			7			
			8			
			9			
			10			
			11			
			12			
			13			
			14			
			15			
			16			
			17			
			18			
			19			
			20			
					Unknown	
			Group B Strep Antibiotics	M0528	Indication that mother was treated with antibiotics for Group B Streptococcus in the intrapartum period.	Yes
No						
Declined antibiotics						
Unknown						

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Group B Strep Screening Results (35-37 wks)	M0527	Indicates whether GBS Screening was done at or between 35+0 to 37+0 weeks and the results when screening was done	Not Done	
			Done, negative result	
			Done, positive result	
			Done, result unknown	
			Unknown if screened	
Healthcare Provider who caught/delivered baby	M0515	Identify the health care provider who actually caught/delivered (had hands on) the baby. Select one. This field is entered by midwives and hospital staff so the language 'caught' refers to midwifery and 'delivered' refers to hospital settings. If the person who caught/delivered the baby is not a health care provider, select 'Unattended (None)'.	Family Physician	
			Registered Midwife	Registered Midwife. May or may not be of Aboriginal, First Nation, Métis or Inuit ancestry.
			Obstetrician	Includes MFM and MFM fellow
			Surgeon	
			CNS/NP	Clinical Nurse Specialist/Nurse Practitioner
			Registered Nurse	
			Aboriginal Midwife	Aboriginal midwife: Aboriginal person who provides traditional midwifery services and is not subject to regulation by the College of Midwives of Ontario (CMO) under the Midwifery Act, 1991.
			Midwifery Student	
			Other Healthcare Provider	For example, paramedic, clinical clerk.
			Unattended (None)	Enter Unattended if no healthcare provider is present, for example, fire fighter, police officer, cab driver, spouse, the mother, lay midwife, doula. Select if birth mother is alone.
Unknown				
HOSP Name	ORGHOSP001	Hospital Site Name		
Hypertension Disorder in Pregnancy	D0016	Identification of all hypertensive conditions and the progression of hypertensive conditions the women experienced during this pregnancy	None	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Hypertension Disorder in Pregnancy	D0016	Identification of all hypertensive conditions and the progression of hypertensive conditions the women experienced during this pregnancy	Eclampsia	
			Gestational Hypertension	
			HELLP	
			Preeclampsia	
			Preeclampsia requiring magnesium sulfate	
			Pre-existing Hypertension with superimposed preeclampsia	
			Unknown	
ID of Health Care Provider Attending Birth	M0533	Identification number of most responsible physician attending delivery. Unique ID for internal organization use only.		
If C/S dilation (cm)	M510	If cesarean section decision made in first stage of labour, measurement of cervical dilation (dilatation) during active labour in centimetres. Measurement taken just prior to decision for cesarean section is made.	0	
			1	
			2	
			3	
			4	
			5	
			6	
			7	
			8	
			9	
			10	
			Not Examined	Checked if no labour c/s
			Unknown	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
If C/S stage	M511	Stage during labour just prior to decision for cesarean section.	First Stage	
			Second Stage	
			Perimortem	
Infection and Pregnancy	D0017	Identification of infections affecting this pregnancy. Select all that apply.	None	
			C-Difficile	
			Chlamydia	
			Gonorrhea	
			Group B Streptococcus	GBS infection is selected when there is an infection present in pregnancy and culture indicates GBS. The culture can come from blood, urine or swab.
			Hepatitis A	
			Hepatitis B	
			Hepatitis C	
			Herpes simplex virus (HSV) infection	
			HIV	
			HPV	
			Methicillin-Resistant Staphylococcus Aureus (MRSA)	
			Other Infections	
			Seasonal Influenza	
			Suspected Chorioamnionitis	
Syphilis				
Trichomonas				
Urinary Tract Infection (UTI)				
Viruses - Other				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Infection and Pregnancy	D0017	Identification of infections affecting this pregnancy. Select all that apply.	Unknown	
Intention to Breastfeed	M0047	Identifies whether the mother intends to feed her infant breast milk, regardless of the method of feeding. Includes intention to feed at the breast, or provide expressed breast milk or donor milk. Self reported during pregnancy or at time of birth.	Yes, intends to exclusively breastfeed	Exclusive breastfeeding: The infant receives human milk (including expressed milk, donor milk). Infant may also receive oral rehydration solution (ORS), syrups (vitamins, minerals, medicines) but does not allow the infant to receive anything else. (BFI Ontario, 2012) If the baby receives breast milk only (whether by breast, pumped milk via bottle, supplemental nurser system or gavage feeds) it is still exclusively breast milk fed.
			Yes, intends to combination feed (use breast milk and breast milk substitute)	Non-exclusive breastfeeding: The infant receives breast milk (includes expressed milk, donor milk) and breast milk substitute(s) (includes water, water-based drinks, fruit juice, ritual fluids or any other liquid including non-human milk or solids. (BFI Ontario, 2012)
			No, does not intend to breastfeed	Does not intend to feed infant any breast or human milk.
			Unknown, intent not collected	
Intrapartum Admission by Health care provider	D0046	Indicates health care provider type responsible for admission to Labour and Birth.	Obstetrician	
			Family Physician	
			Midwife	
			Nurse Practitioner (APN/CNS)	This could apply to a birth centre or non-acute hospital.
			Other	For example, surgeon.
Labour and Birth Complications	M0530	Indicate all intrapartum complications during this labour and birth.	None	
			Atypical or abnormal fetal surveillance	
			Meconium	
			Cord prolapse	
			Shoulder dystocia	
			Fever >38.5 C	proxy for infection
		Nonprogressive first stage of labour		

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Labour and Birth Complications	M0530	Indicate all intrapartum complications during this labour and birth.	Nonprogressive second stage of labour	
			Placental Abruption	
			Uterine rupture	
			Uterine dehiscence	
			Retained Placenta Manual Removal	
			Retained Placenta Surgical Removal	
			Postpartum hemorrhage	
			Uterine Atony	
			Perineal Hematoma	
			Pulmonary Embolism	
			Hysterectomy	
Other				
Unknown				
Maternal Age at time of Stillbirth or Live Birth	M0025	Calculated field indicating Maternal age at time of live birth or stillbirth		
Maternal Antenatal HCP	M0106	Designation of health care providers (HCP) that provided antenatal care.	None	
			Obstetrician	
			Family Physician	
			Midwife	Registered midwife or traditionally trained Aboriginal midwife
			Nurse	
			Nurse Practitioner (APN/CNS)	
			Other	
Unknown				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Maternal BMI	M0019	Maternal pre-pregnancy Body Mass Index (BMI) defined as weight in kilograms divided by the square of the height in metres (kg/m2).		
Maternal Date of Admission	M0500	The date of maternal admission to hospital that results in the birth of her baby. Most often admission is inpatient but birth and transfer may occur without inpatient admission-may use ambulatory care admit time or ER triage time.		
Maternal Disposition Date	M0523-1BM	Maternal Disposition Date		
Maternal Disposition Date In Labour	M0523-1LBR	Maternal Disposition Date In Labour		
Maternal Disposition Time	M0523BM	Maternal Disposition Time		
Maternal Disposition Time In Labour	M0523LBR	Maternal Disposition Time In Labour		
Maternal Health Condition Other	M0013-2	Please specify maternal health condition and/or complications that could impact maternal, pregnancy or birth outcomes		
Maternal Health Conditions	M0013	Select all maternal health conditions and/or complications including those pre-existing, diagnosed during pregnancy or active during pregnancy.	None	Select None if not on available pick list.
			Autoimmune \ Lupus	
			Autoimmune \ Other	
			Cancer \ Diagnosed in Pregnancy	
			Cancer \ Prior to Pregnancy	
			Cardiovascular \ Cardiovascular Disease	
			Cardiovascular \ Congenital Heart Defect	
			Cardiovascular \ Congenital Heart Disease	
			Cardiovascular \ Other	
			Cardiovascular \ Pre-existing Hypertension	
			Diabetes \ Diabetes Type I	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Maternal Health Conditions	M0013	Select all maternal health conditions and/or complications including those pre-existing, diagnosed during pregnancy or active during pregnancy.	Diabetes \ Diabetes Type II - Insulin	
			Diabetes \ Diabetes Type II - No Insulin	
			Diabetes \ Diabetes Type Unknown	
			Endocrine \ Hypothyroidism Managed	
			Endocrine \ Hypothyroidism Unmanaged	
			Endocrine \ Hypothyroidism Management Unknown	
			Endocrine \ Hyperthyroidism Managed	
			Endocrine \ Hyperthyroidism Unmanaged	
			Endocrine \ Hyperthyroidism Management Unknown	
			Endocrine \ Other	
			Gastrointestinal \ Colitis	
			Gastrointestinal \ Crohns	
			Gastrointestinal \ Hepatitis	
			Gastrointestinal \ Liver/Gallbladder Cholecystitis	
			Gastrointestinal \ Liver/Gallbladder Intrahepatic cholestasis of pregnancy	
			Gastrointestinal \ Liver/Gallbladder Other	
			Gastrointestinal \ Other	
			Genito Urinary \ Other	
			Genito Urinary \ Renal Disease	
			Genito Urinary \ Uterine Anomalies	
Haematology \ Chronic Anemia				
Haematology \ Gestational Thrombocytopenia				
Haematology \ Idiopathic Thrombocytopenia				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Maternal Health Conditions	M0013	Select all maternal health conditions and/or complications including those pre-exisitng, diagnosed during pregnancy or active during pregnancy.	Haematology \ Other	
			Haematology \ Sickle Cell Disease	
			Haematology \ Thrombophilia	
			Musculoskeletal \ Musculoskeletal (Unspecified)	
			Neurology \ Epilepsy/Seizures Pre-existing	Select if epilepsy and/or seizures were pre-existing prior to pregnancy.
			Neurology \ Epilepsy/Seizures Seizure occurred in current pregnancy	Select if onset of epilepsy and/or seizures was during pregnancy or if epilepsy/seizure were pre-existing and a seizure occurred during the pregnancy.
			Neurology \ Multiple Sclerosis	
			Neurology \ Other	
			Pulmonary \ Asthma Pre-existing	Select if asthma was pre-existing prior to pregnancy.
			Pulmonary \ Asthma Occurred in current pregnancy	Select if onset of asthma was during pregnancy or if asthma was pre-existing and an asthma attack or exacerbation occurred during the pregnancy.
			Pulmonary \ Previous Pulmonary Embolism/DVT	
			Pulmonary \ Other	
			Recurrent Spontaneous Abortion	
Other, specify:	This pick list value includes Health conditions that are not included in the specified available categories. For example, hip displasia, congenital abnormality.			
Unknown				
Maternal Height (cm)	M0017	Maternal height, measured in imperial or metric units. Reported in metric units.		
Maternal Height Is Unknown	M0017UN			
Maternal Height unit of measure used for entering data through UI interface	M0017UOM			

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Maternal Height value entered by user through UI	M0017USERVAL			
Maternal Outcome	M0537	Maternal disposition	No Transfer	
			Discharged Home	
			Transfer to other hospital	
			Transfer to ICU/CCU	Refers to same hospital
			Transfer to other non-obstetrical unit, same hospital	Includes psychiatry, surgery, medicine, cardiology, etc. Excludes ICU/CCU (same hospital).
			Maternal Death - Not related to Pregnancy or Birth	
		Maternal Death - Related to Pregnancy or Birth		
Maternal Outcome in Labour	M0537LBR	Maternal Outcome in Labour	No Transfer	
			Discharged Home	
			Transfer to other hospital	
			Transfer to ICU/CCU	Refers to same hospital
			Transfer to other non-obstetrical unit, same hospital	Includes psychiatry, surgery, medicine, cardiology, etc. Excludes ICU/CCU (same hospital).
			Maternal Death - Not related to Pregnancy or Birth	
		Maternal Death - Related to Pregnancy or Birth		
Maternal Position at Time of Birth	MW0126	Maternal Position at Time of Birth	Supine	
			Semi-fowler's	
			Lateral	
			Standing	
			Squatting	
			Kneeling	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Maternal Position at Time of Birth	MW0126	Maternal Position at Time of Birth	All-fours	
			Lithotomy	
			McRoberts	
			Birth stool	
			Other	
			Unknown	
Maternal smoking at first prenatal visit	M0020-1	Self-reported amount of smoking per day at time of first prenatal visit	None	
			10-20 cigarettes/day	
			>20 cigarettes/day	
			Amount unknown	
			Unknown	
Maternal smoking at time of labour/admission	D0005	Self-reported amount of smoking per day closest to time of labour/admission.	None	
			10-20 cigarettes/day	
			>20 cigarettes/day	
			Amount unknown	
			Unknown	
Maternal Time of Admission for intrapartum care	M0501	The time of maternal admission to hospital that results in the birth of her baby. Most often admission is inpatient but birth and transfer may occur without inpatient admission-may use ambulatory care admit time or ER triage time.		
Maternal Transfer from	D0044	Indicate whether Maternal transfer occurred or not. If there was a Maternal transfer, select originating location. Otherwise, select No Transfer.	No transfer	This value is on the L and BM encounters. Select if mother did not come from another organization and she has not delivered prior to admission. If the baby's birth occurred prior to admission, do not select this value.
			Hospital - Name	
			Home Birth/MW Care	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Maternal Transfer from	D0044	Indicate whether Maternal transfer occurred or not. If there was a Maternal transfer, select originating location. Otherwise, select No Transfer.	Nursing Station	Primary health care facilities on First Nation Reserves.
			Birth Centre	
			Other unit, same hospital	
			Other	Other includes all other locations not identified in the pick list values. On the Labour encounter, select Other if the birth occurred outside of your facility prior to admission and no other pick list value applies. Then select 'Birth outside of hospital prior to admission' in Reason for Maternal Transfer From.
Maternal Transfer Hospital From	D0044HOSP			
Maternal Transfer Hospital To (In Birth)	D0045BM	Maternal Transfer Hospital To (In Birth)		
Maternal Transfer Hospital To In Labour	D0045LBR	Maternal Transfer Hospital To In Labour		
Maternal Transport to Hospital Stage	MW0128	Prior to birth, when was the maternal transport to hospital? (First Stage or Second Stage)	First Stage	
			Second Stage	
Maternal Weight at end of Pregnancy	M0202	Maternal self-reported weight closest to the end of pregnancy.		
Maternal Weight at end of Pregnancy is Unknown	M0202UN			
Maternal Weight at end of Pregnancy unit of measure used for entry on UI	M0202UOM			
Maternal Weight gain in Pregnancy	M0203	Calculated field of weight gain in pregnancy.		
Maternal Weight value entered by user through UI	M0202USERVAL	Maternal Weight value entered by user through UI		
Medication Exposure in Pregnancy	D0018	Indicate type of prescription and non-prescription (over-the-counter) medications taken during this pregnancy	None	
			Amphetamines	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Medication Exposure in Pregnancy	D0018	Indicate type of prescription and non-prescription (over-the-counter) medications taken during this pregnancy	Antibiotics	
			Anticonvulsants	
			Anti-emetics	
			Antihistamines	
			Antiinflammatory	
			Antiretrovirals	
			Antirheumatic	
			Antiviral	
			Cardiovascular	
			Chemotherapeutic Agents	
			Contraceptives	
			Gastrointestinal Agents	
			General anaesthetic	
			Herbal or homeopathic remedies	
			Insulin	
			Methadone/Subutex	Prescription medications for the treatment of opioid addiction, they reduce cravings for the drug and suppress symptoms of opioid withdrawal.
Opioids	Opioids are a type of drug used to relieve pain. Examples include: morphine, codeine, fentanyl, oxycodone, heroin, and hydromorphone. Opiates are naturally occurring narcotics whereas opioids include synthetic narcotics. (PCMCH Neonatal Abstinency Syndrome (NAS) Clinical Practice Guidelines, March 30, 2012).			
Other over the counter medications				
Other prescription				
Psychotropic				
Selective Serotonin Reuptake Inhibitors				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Medication Exposure in Pregnancy	D0018	Indicate type of prescription and non-prescription (over-the-counter) medications taken during this pregnancy	Thyroid Medication	
			Vitamin A & Congeners	
			Vitamins	
			Other	
			Unknown	
Mental Health Concerns	M0048	Indicate any maternal mental health concerns during this pregnancy including those pre-existing, diagnosed during pregnancy or active during pregnancy. Both diagnosed or self reported.	None	
			Anxiety	
			Depression	
			History of Postpartum Depression	
			Addiction	
			Bipolar	
			Schizophrenia	
			Other	
			Unknown	
Method/s of Induction	M0508	Indicates all methods of induction used to initiate and establish effective labour	None	
			Amniotomy	
			Oxytocin	
			Prostaglandin	Prostaglandin can only be selected in either 'Cervical Ripening prior to induction' or in 'Method/s of induction', not both. If Prostaglandin is used as Cervical Ripening then it should not be coded in 'Method/s of induction'.
			Sweeping membranes	
			Unknown	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Mother resides with smoker at first prenatal visit	M0020-2	At time of first prenatal visit, self-reported indication of whether woman resides with smoker		
Mother resides with smoker at time of labour/admission	D0010	Indicate if mother resides with smoker at time of labour/admission.		
MW - Actual Location of Labour	MW0837		Home	
			Hospital	
			Birth Centre	
			Other	
MW - Billability Type	MW0009	Indication of whether the record is Billable or non-Billable and selection of determination information.	No-Care also provided and billed by another practice	
			No-Non-resident or privately insured	
MW - Birth Centre of Labour	MW0123	Birth Centre where labour occurred		
MW - Care by other MPG	MW0011	Indication that care was provided to this client by another Ontario midwifery Practice Group.		
MW - Client OHIP coverage	MW0025	Indication of maternal OHIP coverage.		
MW - Consult Reason Comments	MW0105	Comments about the reason for the consult, transfer of care or the use of hospital/outpatient/emergency services.		
MW - Consult/Transfer of Care/Emergency Flag	MW0100	Indicates if there were there any consults, transfers of care, or use of hospital/outpatient/emergency services during that period.		
MW - Discharge Date from Midwifery Care	MW0069	The calendar date of the last midwife visit provided to the client.		
MW - Discharge from Midwifery care during intrapartum/immediate Postpartum	MW0016LBM	MW - Discharge from Midwifery care during intrapartum/immediate Postpartum		
MW - EMS Attend Home in Birth or Immediate PostPartum	M0532BM	MW - EMS Attend Home in Birth or Immediate PostPartum		

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - EMS Attend Home Flag	MW0110	Indicates if EMS attended the home during the period.		
MW - EMS Attend Home in Labour	M0532LBR	MW - EMS Attend Home in Labour		
MW - EMS Transport Barrier in Birth or Immediate PostPartum	MW0112BM	MW - EMS Transport Barrier in Birth or Immediate PostPartum	None	
			Delayed arrival time of EMS	
			Delayed departure of EMS	
			Delay on route	
			Other	
MW - EMS Transport Barrier in Labour	MW0112LBR	MW - EMS Transport Barrier in Labour	None	
			Delayed arrival time of EMS	
			Delayed departure of EMS	
			Delay on route	
			Other	
MW - EMS Transport Flag (Prior to Birth)	MW0111LBR	MW - EMS Transport Flag (Prior to Birth)		
MW - EMS Transport Flag in Birth or Immediate PostPartum	MW0111BM	MW - EMS Transport Flag in Birth or Immediate PostPartum		
MW - Infant Discharged with Mother	N0057	For hospital births, indication of whether newborn was discharged with mother.		
MW - Intrapartum Consult	MW033	Indication of whether there was a consultation with a physician for each listed Maternal condition or complication in the intrapartum period.		
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Fetal Surveillance	
			Malpresentation	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Maternal medical condition or medication	
			Postdates	
			Other Maternal condition or complication, specify:	
			Other Fetal condition(s), specify:	
			Other, specify:	
			Augmentation \ Oxytocin	
			Augmentation \ Prostaglandin	
			Lacerations \ 3rd degree	
			Lacerations \ 4th degree	
			Lacerations \ Cervical tear	
			Lacerations \ Other	
			Labour and Birth Complications \ Atypical or abnormal fetal surveillance	
			Labour and Birth Complications \ Meconium	
			Labour and Birth Complications \ Cord prolapse	
			Labour and Birth Complications \ Shoulder dystocia	
			Labour and Birth Complications \ Fever >38.5 C	
			Labour and Birth Complications \ Nonprogressive first stage of labour	
			Labour and Birth Complications \ Nonprogressive second stage of labour	
			Labour and Birth Complications \ Placental Abruption	
			Labour and Birth Complications \ Uterine rupture	
			Labour and Birth Complications \ Uterine dehiscence	
			Labour and Birth Complications \ Retained Placenta Manual Removal	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Labour and Birth Complications \ Retained Placenta Surgical Removal	
			Labour and Birth Complications \ Postpartum hemorrhage	
			Labour and Birth Complications \ Uterine Atony	
			Labour and Birth Complications \ Perineal Hematoma	
			Labour and Birth Complications \ Pulmonary Embolism	
			Labour and Birth Complications \ Hysterectomy	
			Labour and Birth Complications \ Other	
			Complications of Pregnancy \ Fetal \ Anomalies	
			Complications of Pregnancy \ Fetal \ Isoimmunization	
			Complications of Pregnancy \ Fetal \ IUGR	
			Complications of Pregnancy \ Fetal \ LGA	
			Complications of Pregnancy \ Fetal \ Oligohydramnios	
			Complications of Pregnancy \ Fetal \ Polyhydramnios	
			Complications of Pregnancy \ Fetal \ Other	
			Complications of Pregnancy \ Maternal \ Anemia unresponsive to therapy	
			Complications of Pregnancy \ Maternal \ Antepartum Bleeding (Persistent and unexplained)	
			Complications of Pregnancy \ Maternal \ Hyperemesis Gravidarum (Requiring Hospital Admission)	
			Complications of Pregnancy \ Maternal \ Preterm labour prior to this admission	
			Complications of Pregnancy \ Maternal \ Preterm premature rupture of membranes (P-PROM)	
			Complications of Pregnancy \ Maternal \ Prelabour rupture of membranes (PROM)	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Complications of Pregnancy \ Maternal \ Other	
			Complications of Pregnancy \ Placental \ Placental Abruption	
			Complications of Pregnancy \ Placental \ Placenta accreta	
			Complications of Pregnancy \ Placental \ Placenta increta	
			Complications of Pregnancy \ Placental \ Placenta percreta	
			Complications of Pregnancy \ Placental \ Placenta previa	
			Complications of Pregnancy \ Placental \ Other	
			Diabetes \ Gestational diabetes \ Insulin	
			Diabetes \ Gestational diabetes \ No Insulin	
			Diabetes \ Gestational diabetes \ Insulin Status Unknown	
			Diabetes \ Type I	
			Diabetes \ Type II \ Insulin	
			Diabetes \ Type II \ No Insulin	
			Diabetes \ Type Unknown	
			Infection in pregnancy \ Chlamydia	
			Infection in pregnancy \ Gonorrhea	
			Infection in pregnancy \ Group B Streptococcus	
			Infection in pregnancy \ Hepatitis A	
			Infection in pregnancy \ Hepatitis B	
			Infection in pregnancy \ Hepatitis C	
			Infection in pregnancy \ Herpes simplex virus (HSV) infection	
			Infection in pregnancy \ HIV	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Infection in pregnancy \ HPV	
			Infection in pregnancy \ Seasonal Influenza	
			Infection in pregnancy \ Viruses - Other	
			Infection in pregnancy \ Other Infections	
			Infection in pregnancy \ Venereal Disease	
			Hypertension Disorder in Pregnancy \ Gestational Hypertension	
			Hypertension Disorder in Pregnancy \ Preeclampsia	
			Hypertension Disorder in Pregnancy \ Pre-existing Hypertension with superimposed preeclampsia	
			Hypertension Disorder in Pregnancy \ Eclampsia	
			Hypertension Disorder in Pregnancy \ HELLP	
			Medication Exposure in Pregnancy \ Amphetamines	
			Medication Exposure in Pregnancy \ Anti-emetics	
			Medication Exposure in Pregnancy \ Narcotics	
			Medication Exposure in Pregnancy \ Other	
			Medication Exposure in Pregnancy \ Other prescription	
			Medication Exposure in Pregnancy \ Selective Serotonin Reuptake Inhibitors	
			Medication Exposure in Pregnancy \ Thyroid	
			Mental Health Concerns \ Anxiety	
			Mental Health Concerns \ Depression	
			Mental Health Concerns \ History of Post Partum Depression	
			Mental Health Concerns \ Addiction	
			Mental Health Concerns \ Bipolar	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Mental Health Concerns \ Schizophrenia	
			Mental Health Concerns \ Other	
			Pain Management \ Epidural	
			Pain Management \ Opioids	
			Pain Management \ Pudendal	
			Pain Management \ Spinal	
			Pain Management \ Spinal-epidural combination	
			Pre-existing Health Condition \ Autoimmune \ Lupus	
			Pre-existing Health Condition \ Autoimmune \ Other	
			Pre-existing Health Condition \ Cancer \ Diagnosed in Pregnancy	
			Pre-existing Health Condition \ Cancer \ Prior to Pregnancy	
			Pre-existing Health Condition \ Cardiovascular \ Cardiovascular Disease	
			Pre-existing Health Condition \ Cardiovascular \ Congenital Heart Defect	
			Pre-existing Health Condition \ Cardiovascular \ Congenital Heart Disease	
			Pre-existing Health Condition \ Cardiovascular \ Pre-existing Hypertension	
			Pre-existing Health Condition \ Cardiovascular \ Other	
			Pre-existing Health Condition \ Diabetes \ Diabetes Type I	
			Pre-existing Health Condition \ Diabetes \ Diabetes Type II - Insulin	
			Pre-existing Health Condition \ Diabetes \ Diabetes Type II - No Insulin	
			Pre-existing Health Condition \ Diabetes \ Type Unknown	
			Pre-existing Health Condition \ Endocrine \ Hyperthyroidism	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Pre-existing Health Condition \ Endocrine \ Hypothyroidism	
			Pre-existing Health Condition \ Endocrine \ Other	
			Pre-existing Health Condition \ Gastrointestinal \ Cholecystitis	
			Pre-existing Health Condition \ Gastrointestinal \ Colitis	
			Pre-existing Health Condition \ Gastrointestinal \ Crohns	
			Pre-existing Health Condition \ Gastrointestinal \ Hepatitis	
			Pre-existing Health Condition \ Gastrointestinal \ Other	
			Pre-existing Health Condition \ Gastrouterine \ Renal Disease	
			Pre-existing Health Condition \ Gastrouterine \ Uterine Anomalies	
			Pre-existing Health Condition \ Gastrouterine \ Other	
			Pre-existing Health Condition \ Haematology \ Chronic Anemia	
			Pre-existing Health Condition \ Haematology \ Gestational Thrombocytopenia	
			Pre-existing Health Condition \ Haematology \ Sickle Cell Disease	
			Pre-existing Health Condition \ Haematology \ Thrombophilia	
			Pre-existing Health Condition \ Haematology \ Other	
			Pre-existing Health Condition \ Neurology \ Epilepsy/Seizures	
			Pre-existing Health Condition \ Neurology \ Multiple Sclerosis	
			Pre-existing Health Condition \ Neurology \ Other	
			Pre-existing Health Condition \ Pulmonary \ Asthma	
			Pre-existing Health Condition \ Pulmonary \ Previous Pulmonary Embolism/DVT	
			Pre-existing Health Condition \ Pulmonary \ Other	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason	D0200	Maternal conditions or complications in intrapartum period resulting in consultation with physician and/or transfer of care.	Pre-existing Health Condition \ Recurrent Spontaneous Abortion	
			Pre-existing Health Condition \ Substance/Alcohol Abuse	
			Pre-existing Health Condition \ Other	
			Type of Birth \ Assisted Vaginal	
			Type of Birth \ Induced or Spontaneous Labour Cesarean Section	
			Type of Birth \ No Labour - Cesarean Section	
MW - Intrapartum Consult Reason All	D0200ALL		Fetal Surveillance	
			Malpresentation	
			Maternal medical condition or medication	
			Postdates	
			Other Maternal condition or complication, specify:	
			Other Fetal condition(s), specify:	
			Other, specify:	
			Augmentation \ Oxytocin	
			Augmentation \ Prostaglandin	
			Lacerations \ 3rd degree	
			Lacerations \ 4th degree	
			Lacerations \ Cervical tear	
			Lacerations \ Other	
			Labour and Birth Complications \ Atypical or abnormal fetal surveillance	
			Labour and Birth Complications \ Meconium	
			Labour and Birth Complications \ Cord prolapse	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason All	D0200ALL		Labour and Birth Complications \ Shoulder dystocia	
			Labour and Birth Complications \ Fever >38.5 C	
			Labour and Birth Complications \ Nonprogressive first stage of labour	
			Labour and Birth Complications \ Nonprogressive second stage of labour	
			Labour and Birth Complications \ Placental Abruption	
			Labour and Birth Complications \ Uterine rupture	
			Labour and Birth Complications \ Uterine dehiscence	
			Labour and Birth Complications \ Retained Placenta Manual Removal	
			Labour and Birth Complications \ Retained Placenta Surgical Removal	
			Labour and Birth Complications \ Postpartum hemorrhage	
			Labour and Birth Complications \ Uterine Atony	
			Labour and Birth Complications \ Perineal Hematoma	
			Labour and Birth Complications \ Pulmonary Embolism	
			Labour and Birth Complications \ Hysterectomy	
			Labour and Birth Complications \ Other	
			Complications of Pregnancy \ Fetal \ Anomalies	
			Complications of Pregnancy \ Fetal \ Isoimmunization	
			Complications of Pregnancy \ Fetal \ IUGR	
			Complications of Pregnancy \ Fetal \ LGA	
			Complications of Pregnancy \ Fetal \ Oligohydramnios	
			Complications of Pregnancy \ Fetal \ Polyhydramnios	
			Complications of Pregnancy \ Fetal \ Other	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason All	D0200ALL		Complications of Pregnancy \ Maternal \ Anemia unresponsive to therapy	
			Complications of Pregnancy \ Maternal \ Antepartum Bleeding (Persistent and unexplained)	
			Complications of Pregnancy \ Maternal \ Hyperemesis Gravidarum (Requiring Hospital Admission)	
			Complications of Pregnancy \ Maternal \ Preterm labour prior to this admission	
			Complications of Pregnancy \ Maternal \ Preterm premature rupture of membranes (P-PROM)	
			Complications of Pregnancy \ Maternal \ Prelabour rupture of membranes (PROM)	
			Complications of Pregnancy \ Maternal \ Other	
			Complications of Pregnancy \ Placental \ Placental Abruptio	
			Complications of Pregnancy \ Placental \ Placenta accreta	
			Complications of Pregnancy \ Placental \ Placenta increta	
			Complications of Pregnancy \ Placental \ Placenta percreta	
			Complications of Pregnancy \ Placental \ Placenta previa	
			Complications of Pregnancy \ Placental \ Other	
			Diabetes \ Gestational diabetes \ Insulin	
			Diabetes \ Gestational diabetes \ No Insulin	
			Diabetes \ Gestational diabetes \ Insulin Status Unknown	
			Diabetes \ Type I	
			Diabetes \ Type II \ Insulin	
			Diabetes \ Type II \ No Insulin	
			Diabetes \ Type Unknown	
			Infection in pregnancy \ Chlamydia	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason All	D0200ALL		Infection in pregnancy \ Gonorrhea	
			Infection in pregnancy \ Group B Streptococcus	
			Infection in pregnancy \ Hepatitis A	
			Infection in pregnancy \ Hepatitis B	
			Infection in pregnancy \ Hepatitis C	
			Infection in pregnancy \ Herpes simplex virus (HSV) infection	
			Infection in pregnancy \ HIV	
			Infection in pregnancy \ HPV	
			Infection in pregnancy \ Seasonal Influenza	
			Infection in pregnancy \ Viruses - Other	
			Infection in pregnancy \ Other Infections	
			Infection in pregnancy \ Venereal Disease	
			Hypertension Disorder in Pregnancy \ Gestational Hypertension	
			Hypertension Disorder in Pregnancy \ Preeclampsia	
			Hypertension Disorder in Pregnancy \ Pre-existing Hypertension with superimposed preeclampsia	
			Hypertension Disorder in Pregnancy \ Eclampsia	
			Hypertension Disorder in Pregnancy \ HELLP	
			Medication Exposure in Pregnancy \ Amphetamines	
			Medication Exposure in Pregnancy \ Anti-emetics	
			Medication Exposure in Pregnancy \ Narcotics	
Medication Exposure in Pregnancy \ Other				
Medication Exposure in Pregnancy \ Other prescription				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason All	D0200ALL		Medication Exposure in Pregnancy \ Selective Serotonin Reuptake Inhibitors	
			Medication Exposure in Pregnancy \ Thyroid	
			Mental Health Concerns \ Anxiety	
			Mental Health Concerns \ Depression	
			Mental Health Concerns \ History of Post Partum Depression	
			Mental Health Concerns \ Addiction	
			Mental Health Concerns \ Bipolar	
			Mental Health Concerns \ Schizophrenia	
			Mental Health Concerns \ Other	
			Pain Management \ Epidural	
			Pain Management \ Opioids	
			Pain Management \ Pudendal	
			Pain Management \ Spinal	
			Pain Management \ Spinal-epidural combination	
			Pre-existing Health Condition \ Autoimmune \ Lupus	
			Pre-existing Health Condition \ Autoimmune \ Other	
			Pre-existing Health Condition \ Cancer \ Diagnosed in Pregnancy	
			Pre-existing Health Condition \ Cancer \ Prior to Pregnancy	
			Pre-existing Health Condition \ Cardiovascular \ Cardiovascular Disease	
			Pre-existing Health Condition \ Cardiovascular \ Congenital Heart Defect	
			Pre-existing Health Condition \ Cardiovascular \ Congenital Heart Disease	
			Pre-existing Health Condition \ Cardiovascular \ Pre-existing Hypertension	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason All	D0200ALL		Pre-existing Health Condition \ Cardiovascular \ Other	
			Pre-existing Health Condition \ Diabetes \ Diabetes Type I	
			Pre-existing Health Condition \ Diabetes \ Diabetes Type II - Insulin	
			Pre-existing Health Condition \ Diabetes \ Diabetes Type II - No Insulin	
			Pre-existing Health Condition \ Diabetes \ Type Unknown	
			Pre-existing Health Condition \ Endocrine \ Hyperthyroidism	
			Pre-existing Health Condition \ Endocrine \ Hypothyroidism	
			Pre-existing Health Condition \ Endocrine \ Other	
			Pre-existing Health Condition \ Gastrointestinal \ Cholecystitis	
			Pre-existing Health Condition \ Gastrointestinal \ Colitis	
			Pre-existing Health Condition \ Gastrointestinal \ Crohns	
			Pre-existing Health Condition \ Gastrointestinal \ Hepatitis	
			Pre-existing Health Condition \ Gastrointestinal \ Other	
			Pre-existing Health Condition \ Gastrouterine \ Renal Disease	
			Pre-existing Health Condition \ Gastrouterine \ Uterine Anomalies	
			Pre-existing Health Condition \ Gastrouterine \ Other	
			Pre-existing Health Condition \ Haematology \ Chronic Anemia	
			Pre-existing Health Condition \ Haematology \ Gestational Thrombocytopenia	
			Pre-existing Health Condition \ Haematology \ Sickle Cell Disease	
			Pre-existing Health Condition \ Haematology \ Thrombophilia	
			Pre-existing Health Condition \ Haematology \ Other	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Intrapartum Consult Reason All	D0200ALL		Pre-existing Health Condition \ Neurology \ Epilepsy/Seizures	
			Pre-existing Health Condition \ Neurology \ Multiple Sclerosis	
			Pre-existing Health Condition \ Neurology \ Other	
			Pre-existing Health Condition \ Pulmonary \ Asthma	
			Pre-existing Health Condition \ Pulmonary \ Previous Pulmonary Embolism/DVT	
			Pre-existing Health Condition \ Pulmonary \ Other	
			Pre-existing Health Condition \ Recurrent Spontaneous Abortion	
			Pre-existing Health Condition \ Substance/Alcohol Abuse	
			Pre-existing Health Condition \ Other	
			Type of Birth \ Assisted Vaginal	
			Type of Birth \ Induced or Spontaneous Labour Cesarean Section	
			Type of Birth \ No Labour - Cesarean Section	
MW - Intrapartum Period Transfer of Care Returned	MW0055	For each transfer from midwifery care, indication of whether care was returned in the intrapartum period.		
MW - Intrapartum Transfer of Care	MW0014	For each listed intrapartum Maternal condition or complication, indication whether there was a transfer from midwifery care in the intrapartum period.		
MW - Maternal Consult Reason Other	MW0101	Other maternal condition or complication		
MW - Maternal Transport to Hospital Flag	MW0106LBR	MW - Maternal Transport to Hospital Flag		
MW - Maternal Transport to Hospital Flag in Birth or Immediate PostPartum	MW0106BM	MW - Maternal Transport to Hospital Flag in Birth or Immediate PostPartum		
MW - Midwife Attend Birth	MW0007	Indication of whether a midwife attended the birth.		

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Midwife Number - Billing	NEW0002	The provider number of midwife billing for this Course of Care.		
MW - Midwife Number - Coordinating	MW0001	The provider number of the midwifery Care Co-ordinator. This can be the same or a different provider number as that selected as the billing midwife.		
MW - Midwife Number - Primary Attending	MW0002	The provider number of the Primary Attending Midwife at the birth. Leave blank if no Midwife attended the labour, birth or immediate postpartum.		
MW - Midwife Number - Second Midwife	MW0003	The provider number of the Second Midwife at the labour, birth or immediate postpartum. Leave blank if no Second Midwife attended. This number must be different than the provider number of the Primary Attending Midwife.		
MW - MPG Name	R0043	Name of Midwifery Practice Group		
MW - MW At Birth Flag	MW0115	Indicates if there was there a known midwife or midwifery student at the birth.		
MW - MW Attend Home Early Labour Flag	MW0113	Indicates if midwife/senior student attended client at home in early labour.		
MW - Planned Location of Birth	M0520	Location where mother intends to give birth at the onset of labour. For a scheduled Cesarean, select Hospital.	Hospital	
			Home	
			Birth Centre	
			Clinic	
			Other	
			Undecided	
MW - Primary Reason for Transport Prior to Birth	MW0109LBR	MW - Primary Reason for Transport Prior to Birth	Fetal well-being concerns	
			Pain management	
			Prolonged labour	
			Maternal request	
			Neonatal condition or complication	
			Provider preference	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Primary Reason for Transport Prior to Birth	MW0109LBR	MW - Primary Reason for Transport Prior to Birth	Other maternal condition or complication	
			Other fetal condition or complication	
MW - Primary Reason for Transport Prior to Birth in Birth or Immediate PostPartum	MW0109BM	MW - Primary Reason for Transport Prior to Birth in Birth or Immediate PostPartum	Fetal well-being concerns	
			Pain management	
			Prolonged labour	
			Maternal request	
			Neonatal condition or complication	
			Provider preference	
			Other maternal condition or complication	
Other fetal condition or complication				
MW - Rationale for Consult	MW0103	Rationale for consult.	College/Regulatory Body	
			Hospital/physician protocol	
			Midwife's discretion	
			Parental request	
Other, specify:				
MW - Rationale for Consult (Other)	MW0121	NULL		
MW - Rationale for Transfer of Care	MW0104	Rationale for transfer of care.	College/Regulatory Body	
			Hospital/physician protocol	
			Midwife's discretion	
			Parental request	
Other, specify:				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
MW - Rationale for Transfer of Care (Other)	MW0122	NULL		
MW - Reason(s) for Transport in Birth or Immediate PostPartum	MW0108BM	MW - Reason(s) for Transport in Birth or Immediate PostPartum		
MW - Reason(s) for Transport Prior to Birth	MW0108LBR	MW - Reason(s) for Transport Prior to Birth		
MW - Second Attendant Type if no Second Midwife	MW0006	If no Second Midwife, indication of type of second attendant at birth.	CMO approved APA	
			Not Eligible	
			Senior Student	
MW - Unreturned Transfer of Care	MWUNRETC			
MW - Was care of client transferred back to midwifery	MWPM011			
Newborn Date of Birth	N0002	Newborn day/month/year of birth		
Number of Fetuses	FAN0007	Number of fetuses in the current pregnancy. For Prenatal Screening Follow Up encounters, this field refers to the number of fetuses that the prenatal screening result was based on.	1	
			2	
			3	
			4	
			5	
			6	
			7	
			8	
			Unknown	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Number of Living Children (L)	D0011	Number of living children at the time of pregnancy. Biological only, carried by mother, not necessarily cared for by mother and excludes adopted because this refers to mother's pregnancy history.	0	
			1	
			2	
			3	
			4	
			5	
			6	
			7	
			8	
			9	
			10	
			11	
			12	
			13	
			14	
			15	
			16	
Unknown				
Number of Previous Abortions (A)	M0038	The total number of spontaneous or therapeutic abortions occurring prior to 20 completed weeks gestation. Spontaneous losses include ectopic pregnancy, missed abortion, blighted ova, and molar pregnancy.	0	
			1	
			2	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Number of Previous Abortions (A)	M0038	The total number of spontaneous or therapeutic abortions occurring prior to 20 completed weeks gestation. Spontaneous losses include ectopic pregnancy, missed abortion, blighted ova, and molar pregnancy.	3	
			4	
			5	
			6	
			Unknown	
Number of Previous Cesarean Births	M0035	The total number of previous pregnancies resulting in a cesarean birth occurring at greater than or equal to 20 weeks and 0 days gestation. Number excludes current pregnancy. Multiple gestations are counted as one birth event.	0	
			1	
			2	
			3	
			4	
			5	
			6	
Unknown				
Number of Previous Preterm Births (P)	M0032	The total number of previous pregnancies delivered at less than 37 weeks and 0 days gestation. Multiple gestations are counted as one birth event.	0	
			1	
			2	
			3	
			4	
			5	
6				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Number of Previous Preterm Births (P)	M0032	The total number of previous pregnancies delivered at less than 37 weeks and 0 days gestation. Multiple gestations are counted as one birth event.	7	
			8	
			9	
			10	
			Unknown	
Number of Previous Stillbirths (S)	M0033	The total number of previous pregnancies resulting in a stillbirth. A stillbirth is defined as a product of conception weighing 500 grams or more or of 20 or more weeks gestation which, after being completely delivered, shows no sign of life. Intentional termination of pregnancy that meet either criterion are also classified as stillbirths in Ontario (1). Vital Statistics, Ontario Office of Registrar General (ORG), ServiceOntario.	0	
			1	
			2	
			3	
			4	
			5	
			6	
Unknown				
Number of Previous Term Births (T)	M0031	The total number of previous pregnancies delivered at greater than or equal to 37 weeks and 0 days gestation. Multiple gestations are counted as one birth event	0	
			1	
			2	
			3	
			4	
			5	
6				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Number of Previous Term Births (T)	M0031	The total number of previous pregnancies delivered at greater than or equal to 37 weeks and 0 days gestation. Multiple gestations are counted as one birth event	7	
			8	
			9	
			10	
			11	
			12	
			13	
			14	
			15	
			16	
		Unknown		
Number of Previous Vaginal Births	M0034	The total number of prior pregnancies resulting in a vaginal birth occurring at greater than or equal to 20 completed weeks gestation. Number excludes current pregnancy. Multiple gestations are counted as one birth event.	0	
			1	
			2	
			3	
			4	
			5	
			6	
			7	
			8	
			9	
		10		

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Number of Previous Vaginal Births	M0034	The total number of prior pregnancies resulting in a vaginal birth occurring at greater than or equal to 20 completed weeks gestation. Number excludes current pregnancy. Multiple gestations are counted as one birth event.	11	
			12	
			13	
			14	
			15	
			16	
			Unknown	
Number of previous VBACs	M0036	The total number of previous vaginal births after cesarean section (VBACs).	0	
			1	
			2	
			3	
			4	
			5	
			6	
Oncology Radiation Therapy Exposure In Pregnancy	D0015	Indicate whether this women underwent radiation therapy if there is a diagnosis of cancer prior to or during this pregnancy		
Other Care Providers at time of labour and/or birth	M0702	Other Care Providers at time of labour and/or birth. Optional.	Family Physician	
			Registered Midwife	Registered Midwife. May or may not be of Aboriginal, First Nation, Metis or Inuit ancestry.
			Obstetrician	Includes MFM and MFM Fellow.
			Surgeon	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Other Care Providers at time of labour and/or birth	M0702	Other Care Providers at time of labour and/or birth. Optional.	CNS/NP	Clinical Nurse Specialist/Nurse Practitioner
			Registered Nurse	
			Aboriginal Midwife	Aboriginal midwife: Aboriginal person who provides traditional midwifery services and is not subject to regulation by the College of Midwives of Ontario (CMO) under the Midwifery Act, 1991.
			Midwifery Student	
			Nursing Student	
			Medical Student	
			Doula	
			Other Care Provider	For example, resident, neonatal fellow, respiratory therapist, pediatrician, neonatologist.
			None	
			Unknown	
Pain Management	D0041	Indicate use of pharmacological and non-pharmacological methods for the management of labour pain.	None	
			Nitrous oxide	
			Opioids	
			Epidural	
			Spinal	
			Spinal-epidural combination	
			Non-pharmacologic \ Sterile water/saline injection	
			Non-pharmacologic \ TENS	
			Non-pharmacologic \ Tub/Shower	
			Non-pharmacologic \ Other	
Local				
Pudendal				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Pain Management	D0041	Indicate use of pharmacological and non-pharmacological methods for the management of labour pain.	Unknown	
Parity	NEW1101	The number of previous births (term + preterm). This is automatically calculated.		
Perineal Laceration	M0513	Indicate whether tear of perineum occurred during intrapartum period. If more than one tear occurred, select the one that has the most clinical significance. This is a single select field.	None	
			1st degree	
			2nd degree	
			3rd degree	
			4th degree	
			Cervical tear	
			Other	
			Unknown	
Pregnancy Outcome	F0053	Indicates the actual outcome of this pregnancy, including live births, stillbirths, terminations and losses. BORN encourages all hospitals to complete a Birth Mother encounter for all pregnancy losses that occur in your unit.	Live birth	A live birth is defined by the Vital Statistics Act as: "... the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of the pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached." (Statistics Canada)
			Stillbirth at >=20wks or >=500gms \ Spontaneous - Occurred during antepartum period	Stillbirth is defined as the complete expulsion or extraction from its mother of a product of conception either after the 20th week of pregnancy or after the product of conception has attained the weight of 500 grams or more, and where after such expulsion or extraction there is no breathing, beating of the heart, pulsation of the umbilical cord or movement of voluntary muscle (Vital Statistics Act, Ontario).
			Stillbirth at >=20wks or >=500gms \ Spontaneous - Occurred during intrapartum period	Stillbirth is defined as the complete expulsion or extraction from its mother of a product of conception either after the 20th week of pregnancy or after the product of conception has attained the weight of 500 grams or more, and where after such expulsion or extraction there is no breathing, beating of the heart, pulsation of the umbilical cord or movement of voluntary muscle (Vital Statistics Act, Ontario).

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Pregnancy Outcome	F0053	Indicates the actual outcome of this pregnancy, including live births, stillbirths, terminations and losses. BORN encourages all hospitals to complete a Birth Mother encounter for all pregnancy losses that occur in your unit.	Stillbirth at >=20wks or >=500gms \ Termination	Stillbirth is defined as the complete expulsion or extraction from its mother of a product of conception either after the 20th week of pregnancy or after the product of conception has attained the weight of 500 grams or more, and where after such expulsion or extraction there is no breathing, beating of the heart, pulsation of the umbilical cord or movement of voluntary muscle (Vital Statistics Act, Ontario).
			Pregnancy Loss <20 weeks and <500 gms \ Spontaneous Miscarriage	Select Pregnancy Loss <20 weeks only if weight is <500 gms.
			Pregnancy Loss <20 weeks and <500 gms \ Termination	Select Pregnancy Loss <20 weeks only if weight is <500 gms.
Prenatal Classes	M0045	Indicate whether mother attended any prenatal education classes during the current pregnancy. This includes online education requiring registration or enrolment as well as in-person classes.		
Pre-pregnancy Maternal Weight (kg)	M0018	The mother's self-reported weight closest to conception and no later than 12 weeks of gestation (metric or imperial units).		
Pre-pregnancy Maternal Weight Is Unknown	M0018UN			
Pre-pregnancy Maternal Weight unit of measure used for data entry on the UI	M0018UOM			
Pre-pregnancy Maternal Weight value entered by user through UI	M0018USERVAL	Pre-pregnancy Maternal Weight value entered by user through UI		
Presentation	M0504	Indicate presenting part of fetus during birthing process	Cephalic \ Vertex	
			Cephalic \ Brow	
			Cephalic \ Face	
			Cephalic \ Compound	
			Cephalic \ Cephalic Type Unknown	
			Breech \ Frank	
			Breech \ Complete	
Breech \ Footling				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Presentation	M0504	Indicate presenting part of fetus during birthing process	Breech \ Compound	
			Breech \ Breech Type Unknown	
			Transverse/Malpresentation	
			Unknown	
Primary Indication for Cesarean Section	M0510	Indicate the primary medical or non-medical reason for cesarean section	Fetal \ Anomaly(ies)	
			Fetal \ Atypical or Abnormal Fetal Surveillance	Atypical or abnormal fetal surveillance. Includes fetal wellbeing concerns.
			Fetal \ Cord prolapse	
			Fetal \ Intrauterine Growth Restriction	
			Fetal \ Macrosomia	
			Fetal \ Malposition/Malpresentation	
			Maternal \ Failed forceps / vacuum	
			Maternal \ Failed Induction	
			Maternal \ Gestational hypertension	
			Maternal \ HIV – Human Immunodeficiency Virus	
			Maternal \ HSV - Herpes Simplex Virus	
			Maternal \ Hypertensive disorders of pregnancy - Eclampsia	
			Maternal \ Hypertensive disorders of pregnancy - HELLP	
			Maternal \ Hypertensive disorders of pregnancy - Preeclampsia	
			Maternal \ Maternal Health Condition(s)	
Maternal \ Multiple gestation				
Maternal \ Nonprogressive first stage of labour				
Maternal \ Nonprogressive second stage of labour				
Maternal \ Obesity				

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Primary Indication for Cesarean Section	M0510	Indicate the primary medical or non-medical reason for cesarean section	Maternal \ Other Obstetrical Complication	
			Maternal \ Placenta Increta/Accreta/Percreta	
			Maternal \ Placenta previa	
			Maternal \ Placental abruption	
			Maternal \ Prelabour Rupture of Membranes (PROM) in women with planned C/Section	Rupture of membranes at or greater than 37 weeks and 0 days GA prior to the onset of labour.
			Maternal \ Preterm prelabour rupture of membranes (PPROM) in women with planned C/Section	Rupture of membranes before 37 weeks and 0 days GA prior to labour.
			Maternal \ Previous C/Section	
			Maternal \ Previous T incision/classical incision/uterine surgery	
			Maternal \ Previous uterine rupture	
			Maternal \ Suspected chorioamnionitis	
			Maternal \ Uterine rupture	
			Maternal \ VBAC - Declined VBAC	
			Maternal \ VBAC - Failed attempt	
			Maternal \ VBAC - Not eligible	
			Primary Indication for Induction of Labour	M0506
Other \ Maternal Request				
Unknown				
Fetal \ Other Fetal Indication				
Fetal \ Atypical or Abnormal Fetal Surveillance				
Fetal \ Fetal anomaly/ies				
			Fetal \ Fetal demise	
			Fetal \ Isoimmunization/Alloimmunization	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Primary Indication for Induction of Labour	M0506	Indicate the primary medical or non-medical reason for labour induction.	Fetal \ Intrauterine Growth Restriction	
			Fetal \ Macrosomia	
			Fetal \ Multiple gestation	
			Fetal \ Other Fetal Complication	
			Fetal \ Post dates	
			Fetal \ Termination of Pregnancy	
			Maternal \ Diabetes	
			Maternal \ History of precipitous delivery	
			Maternal \ Oligohydramnios	
			Maternal \ Other Obstetrical Complications/Concerns	
			Maternal \ Polyhydramnios	
			Maternal \ Preeclampsia/Hypertension	
			Maternal \ Pre-existing maternal medical conditions	
			Maternal \ Prelabour rupture of membranes (PROM)	Rupture of membranes at or greater than 37 weeks and 0 days GA prior to the onset of labour.
			Maternal \ Preterm prelabour rupture of membranes (PPROM)	Rupture of membranes before 37 weeks and 0 days GA prior to labour.
Other \ Accommodates Care Provider/Organization				
Other \ Distance from birth hospital/Safety precaution				
Other \ Maternal Request				
		Unknown		
Reason for maternal transfer (From)	R0052	Indicates the primary Reason for maternal transfer (From)	Fetal health concern	
			Lack of nursing coverage	
			Lack of physician coverage	
			Maternal medical/obstetrical problem	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Reason for maternal transfer (From)	R0052	Indicates the primary Reason for maternal transfer (From)	No beds available	
			Organization evacuation	
			Birth outside of hospital prior to admission	
			Care closer to home	
			Condition improved	
			Other	
Reason for maternal transfer (To) (In Birth)	R0052TOBM	Reason for maternal transfer (To) (In Birth)	Fetal health concern	
			Lack of nursing coverage	
			Lack of physician coverage	
			Maternal medical/obstetrical problem	
			No beds available	
			Organization evacuation	
			Birth outside of hospital prior to admission	
			Care closer to home	
			Condition improved	
			Other	
Reason for maternal transfer (To) in Labour	R0052TOLBR	Reason for maternal transfer (To) in Labour	Fetal health concern	
			Lack of nursing coverage	
			Lack of physician coverage	
			Maternal medical/obstetrical problem	
			No beds available	

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Reason for maternal transfer (To) in Labour	R0052TOLBR	Reason for maternal transfer (To) in Labour	Organization evacuation	
			Birth outside of hospital prior to admission	
			Care closer to home	
			Condition improved	
			Other	
			Unknown	
Time Fully Dilated	M0524	The time (24 hour clock) at complete cervical dilation (dilatation). If Time Fully Dilated (e.g. baby born on route to hospital) is unknown then estimate based on Time Started Pushing and Time of Birth. If Time Started Pushing is prior to Time Fully Dilated then Time Started Pushing=Time Fully Dilated.		
Time Fully Dilated Not Provided	M0524NULL	Time Fully Dilated Not Provided		
Time of Birth	N0006	The time (24 hour clock) when baby is born		
Time Pushing	D0050	Calculation: Time Started Pushing to Time of Birth		
Time Started Pushing	M0525	The time (24 hour clock) when mother initiates pushing. If Time Started Pushing (e.g. baby born on route to hospital) is unknown then estimate based on Time of Birth. Time Started Pushing should not be before Time Fully Dilated but the encounter can be submitted if Time Started Pushing is up to 5 hours before.		
Time Started Pushing Not Provided	M0525NULL	Time Started Pushing Not Provided		
Time Waiting	D0049	Calculation: Time Fully Dilated to Time Started Pushing		
Total Number of midwives providing care	MW0062	Total Number of midwives providing care determined at time of discharge from care		
Total Second Stage	D0051	Calculation: Time Fully Dilated to Time of Birth		
Type of Birth	M0503	Indicate how the baby was born	Spontaneous Vaginal	Vaginal birth that did not require assistance of forceps and/or vacuum extractor.
			Assisted Vaginal	Vaginal birth that required assistance of forceps and/or vacuum extractor.

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Type of Birth	M0503	Indicate how the baby was born	Induced or Spontaneous Labour Cesarean Section	
			No Labour - Cesarean Section	
Type of Conception	M0201	Method of conception for this pregnancy; indicates if reproductive assistance was required to achieve current pregnancy	Spontaneous	Assisted reproductive technology was not used
			Intrauterine insemination alone	Sperm is instilled directly into the uterine cavity through a syringe and catheter. Can be partner or donor sperm. Referred to as IUI.
			Intrauterine insemination with ovulation induction but no IVF	Same as intrauterine insemination (IUI) but woman received drugs to stimulate ovulation prior to the IUI. The woman may produce one or many eggs as the result of the stimulation protocol. Multiple births are a risk with this procedure. Sometimes, an ultrasound is performed prior to the IUI to determine how many follicles have matured and the procedure may not be carried out if many eggs are produced.
			Ovulation Induction without IVF (ie clomid or FSH)	Drugs are given to stimulate ovulation. Normal intercourse, IUI (intrauterine insemination) or vaginal insemination follows but no other manipulation of the egg or sperm.
			IVF	In Vitro fertilization - Eggs are retrieved from the ovaries through a transvaginal (usually) procedure, guided by ultrasound that shows where the mature follicles are. Eggs are then placed in a sperm solution and fertilization occurs. Fertilized embryos are grown in the lab for a few days (3 or 5) and then a certain number are transferred back into the uterus. The remainder of viable embryos may be frozen for future use.
			IVF ICSI	In Vitro Fertilization with Intra Cellular Sperm Injection - A single sperm is chosen from the sperm sample and injected directly into the egg for fertilization. The embryo(s) fertilized are then transferred into the uterus as in a regular IVF procedure and/or frozen for future use.
	Surrogate	A Gestational Carrier. Another women carries the embryo/fetus for the couple who are unable to carry a pregnancy for whatever reason. The baby is surrendered at birth to the fertility patient.		
	Vaginal insemination			
	Unknown			
Type of CS	M512	Indicate if cesarean section was planned (as scheduled), planned (not as scheduled), or unplanned.	Planned (as scheduled)	Planned and completed as scheduled

Encounter: Labour & Birth Mother

Data Element Name	BORN ID	Data Element Definition	Pick List Value	Pick List Definition
Type of CS	M512	Indicate if cesarean section was planned (as scheduled), planned (not as scheduled), or unplanned.	Planned (not as scheduled)	Planned and completed but not as it was scheduled or completed but the date was not yet scheduled
			Unplanned	
Type of Labour	M0502	Indicates whether the labour started spontaneously, was induced mechanically or pharmalogically or did not labour prior to C/Section	Spontaneous	Induced labour is the artificial initiation of labour by any intervention/s before the spontaneous onset of the latent phase of labour to help achieve a vaginal birth in 24-48 hours.
			Induced	
			No Labour	
VBAC Attempted Flag	M0705	Indicates if VBAC was attempted.		
VBAC Eligible at Onset of Labour	M0704	Indicates if patient was eligible for VBAC at onset of labour.	Yes	
			No	
			Declined	
			Unknown	
VBAC Planned Flag	M0703	Indicates if VBAC was ever planned during this pregnancy.		
Was the baby born in water	MW0125	Was the baby born in water		
Was this a planned water birth?	MW0127	Was this a planned water birth?		
Woman Abuse	D0019	The self-disclosed threat of or actual physical, sexual, psychological, emotional or financial abuse.	No disclosure	Asked but no abuse disclosed or asked and responded 'No'
			Disclosure	
			Unable to ask	